



Installing and Deploying LiveCycle® ES Using Turnkey

(for JBoss® or WebLogic®)

February 2009

Adobe® LiveCycle® ES
Update 1 (8.2)

© 2009 Adobe Systems Incorporated. All rights reserved.

Adobe® LiveCycle® ES Update 2 (8.2) Installing and Deploying LiveCycle ES Using Turnkey (for JBoss or WebLogic) for Microsoft® Windows® Edition 2.3, February 2009

If this guide is distributed with software that includes an end user agreement, this guide, as well as the software described in it, is furnished under license and may be used or copied only in accordance with the terms of such license. Except as permitted by any such license, no part of this guide may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written permission of Adobe Systems Incorporated. Please note that the content in this guide is protected under copyright law even if it is not distributed with software that includes an end user license agreement.

The content of this guide is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by Adobe Systems Incorporated. Adobe Systems Incorporated assumes no responsibility or liability for any errors or inaccuracies that may appear in the informational content contained in this guide.

Please remember that existing artwork or images that you may want to include in your project may be protected under copyright law. The unauthorized incorporation of such material into your new work could be a violation of the rights of the copyright owner. Please be sure to obtain any permission required from the copyright owner.

Any references to company names, company logos and user names in sample material or sample forms included in this documentation and/or software are for demonstration purposes only and are not intended to refer to any actual organization or persons.

Adobe, the Adobe logo, Acrobat, Flash, FrameMaker, LiveCycle, PageMaker, and Photoshop are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

BEA WebLogic and WebLogic Server are registered trademarks of BEA Systems, Inc.

IBM is a trademark of International Business Machines Corporation in the United States, other countries, or both.

Intel and Pentium are trademarks or registered trademark of Intel Corporation or its subsidiaries in the U.S. and other countries.

Java, Solaris, and Sun are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and other countries.

JBoss and Red Hat are registered trademarks of Red Hat, Inc. in the United States and other countries.

Linux is the registered trademark of Linus Torvalds in the U.S. and other countries.

Microsoft, Windows, and Windows Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

All other trademarks are the property of their respective owners.

This product contains either BSAFE and/or TIPEM software by RSA Security, Inc.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

This product includes software developed by the IronSmith Project (<http://www.ironsmith.org/>).

This product includes software developed by the OpenSymphony Group (<http://www.opensymphony.com/>).

This product includes software developed by the Indiana University Extreme! Lab (<http://www.extreme.indiana.edu/>).

This product includes copyrighted software developed by E. Wray Johnson for use and distribution by the Object Data Management Group (<http://www.odmg.org/>).

Portions © Eastman Kodak Company, 199- and used under license. All rights reserved. Kodak is a registered trademark and Photo CD is a trademark of Eastman Kodak Company.

Powered by Celequest. Copyright 2005-2008 Adobe Systems Incorporated. All rights reserved. Contains technology distributed under license from Celequest Corporation. Copyright 2005 Celequest Corporation. All rights reserved.

Single sign-on, extending Active Directory to Adobe LiveCycle ES provided by Quest Software “www.quest.com/identity-management” in a subsequent minor release that is not a bug fix (i.e., version 1.1 to 1.2 but not 1.1.1 to 1.1.2) of the Licensee Product that incorporates the Licensed Product.

The Spelling portion of this product is based on Proximity Linguistic Technology.

©Copyright 1989, 2004 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

© Copyright 1990 Merriam-Webster Inc. © Copyright 1990 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

© Copyright 2003 Franklin Electronic Publishers Inc. © Copyright 2003 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

© Copyright 2004 Franklin Electronic Publishers, Inc. © Copyright 2004 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

© Copyright 1991 Dr.Lluís de Yzaguirre I Maura © Copyright 1991 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

© Copyright 1990 Munksgaard International Publishers Ltd. © Copyright 1990 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

© Copyright 1995 Van Dale Lexicografie bv © Copyright 1996 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

© Copyright 1990 IDE a.s. © Copyright 1990 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

© Copyright 2004 Franklin Electronics Publishers, Inc. © Copyright 2004 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

© Copyright 1992 Hachette/Franklin Electronic Publishers, Inc. © Copyright 2004 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

© Copyright 2004 Bertelsmann Lexikon Verlag © Copyright 2004 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

© Copyright 2004 MorphoLogic Inc. © Copyright 2004 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

© Copyright 1990 Williams Collins Sons & Co. Ltd. © Copyright 1990 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA. © Copyright 1993-95 Russicon Company Ltd.

© Copyright 1995 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

© Copyright 2004 IDE a.s. © Copyright 2004 All Rights Reserved Proximity Technology A Division of Franklin Electronic Publishers, Inc. Burlington, New Jersey USA.

Adobe Systems Incorporated, 345 Park Avenue, San Jose, California 95110, USA.

Notice to U.S. Government End Users. The Software and Documentation are "Commercial Items," as that term is defined at 48 C.F.R. §2.101, consisting of "Commercial Computer Software" and "Commercial Computer Software Documentation," as such terms are used in 48 C.F.R. §12.212 or 48 C.F.R. §227.7202, as applicable. Consistent with 48 C.F.R. §12.212 or 48 C.F.R. §§227.7202-1 through 227.7202-4, as applicable, the Commercial Computer Software and Commercial Computer Software Documentation are being licensed to U.S. Government end users (a) only as Commercial Items and (b) with only those rights as are granted to all other end users pursuant to the terms and conditions herein. Unpublished-rights reserved under the copyright laws of the United States. Adobe Systems Incorporated, 345 Park Avenue, San Jose, CA 95110-2704, USA. For U.S. Government End Users, Adobe agrees to comply with all applicable equal opportunity laws including, if appropriate, the provisions of Executive Order 11246, as amended, Section 402 of the Vietnam Era Veterans Readjustment Assistance Act of 1974 (38 USC 4212), and Section 503 of the Rehabilitation Act of 1973, as amended, and the regulations at 41 CFR Parts 60-1 through 60-60, 60-250, and 60-741. The affirmative action clause and regulations contained in the preceding sentence shall be incorporated by reference.

Contents

About This Document.....	7
Who should read this document?	7
Conventions used in this document	7
Additional information.....	7
1 Installing and Configuring LiveCycle ES (Turnkey).....	9
System prerequisites.....	10
LiveCycle ES patch updates.....	10
Additional prerequisites	10
Development versus production environments	10
Hardware.....	10
Operating system.....	11
Software development kit	11
Web browser support.....	12
Application server.....	12
LiveCycle Reader Extensions ES credential.....	12
Before you install.....	13
Preconfiguration for PDF Generator ES and PDF Generator 3D ES.....	14
Installing LiveCycle ES	15
Install service packs	17
Configuring LiveCycle ES.....	18
Configuring LiveCycle ES using Express Mode	18
Configuring LiveCycle ES using Custom Mode.....	19
Next steps.....	23
2 Post-Deployment Activities	24
Restarting the application server services.....	24
Disabling directory listings on JBoss 4.0.3.....	24
Disabling status pages for JBoss Application Server	24
Accessing LiveCycle Administration Console	25
Accessing solution component web applications	26
Accessing User Management	28
Disable the LiveCycle ES Samples for WebLogic turnkey	28
Encrypting the plaintext password.....	29
Managing the MySQL database.....	29
Configuring LiveCycle ES to access LDAP.....	29
Configuring LiveCycle PDF Generator ES or LiveCyclePDF Generator 3D ES.....	31
Setting environment variables.....	31
Configuring the application server to use HTTP proxy server.....	32
Setting the Adobe PDF Printer as the default printer.....	32
Configuring Acrobat 9.0	33
Ensuring all languages are displayed after conversion	34
Setting PDF Generator ES or PDF Generator 3D ES watched folder performance parameters.....	34
Adding fonts to PDF Generator ES or PDF Generator 3D ES	34
Configuring HTML to PDF conversions	36
Installing the IPP client.....	38

Migrating HSM credentials	39
Uninstalling LiveCycle ES	40
3 Advanced Configuration Activities	41
Enabling Federal Information Processing Standard (FIPS).....	41
Configuring the Connector for EMC Documentum service.....	42
Creating the XDP format in your Documentum repository	45
Configuring the Connector for IBM FileNet service.....	46
Configuring the connector using FileNet 3.5.....	46
Configuring the connector using FileNet 4.0.1	49
Configuring the Connector for IBM Content Manager service.....	58
Re-creating the JBoss for Adobe LiveCycle ES service	63
4 Troubleshooting	64
Viewing the log files	64
JBoss Application Server logs	64
WebLogic Server logs	64
LiveCycle ES installation logs.....	64
LiveCycle Configuration Manager logs	64
Troubleshooting considerations	65
LiveCycle Output ES issue with shared printer	65
Changing the Windows server name causes errors on WebLogic.....	65
"HTTP tunneling is disabled" error messages on WebLogic.....	65
Missing DLL error on WebLogic.....	66
Connector for EMC Documentum error	66
A Appendix - Turnkey Environment Overview	67
Index	68

About This Document

This document explains how to install and configure Adobe® LiveCycle® ES (Enterprise Suite) Update 1 for Red Hat® JBoss® or BEA WebLogic® and MySQL by using the turnkey method. The turnkey method automatically installs and configures the product and is the recommended installation option for rapid evaluation, development, and small production deployments.

Who should read this document?

This document is intended for users who are installing, configuring, administering, or deploying LiveCycle ES. These users include evaluators, administrators, or developers who are responsible for installing, configuring, administering, or deploying LiveCycle ES. The information provided is based on the assumption that anyone reading this document is familiar with the Microsoft® Windows® operating systems and web environments.

Conventions used in this document

This document uses the following naming conventions for common file paths.

Name	Default value	Description
<i>[LiveCycle ES root]</i>	C:\Adobe\LiveCycle8.2\	The installation directory that is used for all LiveCycle ES solution components. This directory contains subdirectories for LiveCycle Configuration Manager, the LiveCycle ES SDK, and each LiveCycle ES solution component installed.
<i>[JBoss_ES root]</i>	C:\Adobe\LiveCycle8.2\jboss	The home directory of the application server that runs LiveCycle ES
<i>[WebLogic_ESroot]</i>	C:\Adobe\LiveCycle8.2\weblogic	The home directory of the application server that runs LiveCycle ES
<i>[appserverdomain]</i>	C:\Adobe\LiveCycle8.2\weblogic\user_projects\domains\LCDomain\	The WebLogic domain directory.

Additional information

The resources in this table can help you learn about LiveCycle ES.

For information about	See
General information about LiveCycle ES and the solution components	LiveCycle ES Overview
What's new in this LiveCycle ES release	What's New for LiveCycle ES
LiveCycle ES release information and last-minute changes that occur to the product	LiveCycle ES Release Notes
LiveCycle ES terminology	LiveCycle ES Glossary
Upgrading	Upgrading to LiveCycle ES 8.2 from 8.x (for JBoss Turnkey)
Other services and products that integrate with LiveCycle ES	Adobe Development Center
LiveCycle ES solution components	Adobe LiveCycle ES (Enterprise Suite)
All documentation available for LiveCycle ES	Adobe LiveCycle ES documentation
Patch updates, technical notes, and additional information about this product version	LiveCycle Technical Support

1

Installing and Configuring LiveCycle ES (Turnkey)

This chapter describes how to install LiveCycle ES by using the turnkey method. The turnkey installation option is most appropriate for rapid installations of evaluation, developer, and small production environments. The turnkey installation automatically performs all of the tasks that are required to install and configure LiveCycle ES on a JBoss Application Server or BEA WebLogic Server with a MySQL database running on Microsoft Windows only. You can choose the turnkey method during the installation process.

The following information is included in this document:

- A description of the system requirements for installing the LiveCycle ES turnkey.
- All the steps required to initiate and complete the installation. (When you complete these steps, LiveCycle ES is running on JBoss/WebLogic and ready to accept requests.)
- Details about what you can do next, including accessing LiveCycle Administration Console and User Management, and accessing some of the web applications that may be available (depending on the LiveCycle ES solution components you have installed).

The turnkey installation performs the following tasks:

- Installs the product files
- Installs JBoss 4.0.3 SP1 Application Server (with Apache Tomcat servlet container embedded) or BEA WebLogic 10.0 MP1 (Evaluation license or WebLogic)
- Creates a domain and a LiveCycle ES managed server for WebLogic
- Installs the MySQL 5.0 database
- Starts LiveCycle Configuration Manager
- Configures and assembles the LiveCycle ES EAR files in either express mode or custom mode
- Deploys LiveCycle ES to JBoss or WebLogic
- Initializes the MySQL 5.0 database
- Supports LiveCycle ES Business Activity Monitoring on JBoss out of the box
- Deploys all of the required components to JBoss or WebLogic
- Configures the LiveCycle Reader Extensions ES Rights credential
- Imports the product samples

Task	Topic
(LiveCycle Content Services ES only) Modify the Content Services ES logging configuration	"Configuring LiveCycle ES" on page 17

System prerequisites

This section provides the hardware and software requirements to install LiveCycle ES using the turnkey method.

LiveCycle ES patch updates

Before installing LiveCycle ES, ensure that you download any patch updates. These updates are at [LiveCycle Technical Support](#).

Additional prerequisites

Before you install LiveCycle ES, ensure that you have the following prerequisite hardware and software installed:

- ["Hardware" on page 9](#)
- ["Operating system" on page 10](#)
- ["Software development kit" on page 10](#)
- ["Web browser support" on page 11](#)
- ["Application server" on page 11](#)
- ["LiveCycle Reader Extensions ES credential" on page 11](#)

Additionally, if you include LiveCycle PDF Generator ES as part of your LiveCycle ES solution, you must complete the following tasks before you begin the installation:

- ["Granting the Logon As Service right when installing PDF Generator ES or PDF Generator 3D ES" on page 13](#)
- ["Installing Acrobat for PDF Generator ES or PDF Generator 3D ES" on page 13](#)

Development versus production environments

For development and evaluation use, the turnkey installation can be used to install all the solution components on a single system, but the system may experience resource limitations. It is recommended that this complete installation only be done on a system that has 4 GB of RAM or that LiveCycle ES Business Activity Monitoring be installed on a different server.

A complete installation should never be done on a production system. For production use, Business Activity Monitoring should be deployed on a separate application server. It is recommended that, for larger production use, Business Activity Monitoring be installed on a dedicated system and that the system should run both a 64-bit operating system and Java Application Server. The modelling process requires large amounts of RAM to compute and can require more than the memory limit on 32-bit systems.

Hardware

For any installation, these settings are recommended as the minimum:

- Disk space for installation: 3 GB (an additional 3GB is required if you are using a ESD download and not installing from a DVD)
- System temp space during installation: 3 GB

- Memory for running LiveCycle ES: 2 GB
- Processor: Intel® Pentium® 4 or equivalent, 1.6 GHz or higher processor

Operating system

The turnkey method supports the following operating systems:

- Microsoft Windows 2003 Server® (required for production support)
- Microsoft Windows XP (for LiveCycle ES evaluation and development)

Software development kit

You must install the appropriate JDK for your J2EE environment.

You must use Sun™ Java™ Software Development Kit 5.0 (JDK) 1.5.0_11 or a later update of JDK 1.5.0.

► To install the JDK for JBoss:

1. To download and install updates to JDK 5.0 (1.5.0) from the [Sun Developer Network](#), follow the link to download Java SE, , click **Previous Releases** on the next page, and click **J2SE 5.0 Downloads** and download **Update 15** or later.
2. After you install the JDK, create or set the `JAVA_HOME` environment variable and the `PATH` to point to the location where your JDK is installed. The following sections will guide you through these tasks.

Note: Java 6 (1.6) and Java 1.4 are not supported by LiveCycle ES.

As part of your WebLogic installation, a Java SDK was installed. The `JAVA_HOME` and `PATH` environment variables must point to the Java SDK where LiveCycle ES is to be deployed.

► To create and set the `JAVA_HOME` environment variable:

1. Select **Start > Control Panel > System** and click the **Advanced** tab.
2. Click **Environment Variables** and, in the System Variables area, click **New**.
3. Enter `JAVA_HOME` as the variable name and enter the directory where you installed the Java SDK. This directory contains the `/bin` subdirectory. For example, type the following directory:

```
C:\Program Files\Java\jdk1.5.0_11
```

Note: To verify your `JAVA_HOME` environment variable, open a command prompt and run the following command:

```
cd %JAVA_HOME%\bin
java -version
```

You should receive a response that begins with Java version 1.5.0_11 (or a later version of 1.5.0).

► To update the `PATH` environment variable:

1. Select **Start > Control Panel > System** and click the **Advanced** tab.
2. Click **Environment Variables** and, in the System variables area, select **Path** and then click **Edit**.

3. Add the directory where you installed the Java SDK to the **Variable value** field. For example, for a JBoss installation, type the following directory:

```
C:\Program Files\Java\jdk1.5.0_11
```

4. Append the following text to the beginning of the variable value:

```
%JAVA_HOME%\bin;
```

Note: To verify the update to your PATH environment variable, open a command prompt and run the `java -version` command:

You should receive a response that begins with “Java version 1.5.0_11” (or a later version of 1.5.0).

Web browser support

You must have one of the following supported web browsers:

- Internet Explorer 6 or later
- FireFox 2.0.0.1

Note: The term “or later” includes major revisions. For example, Microsoft Internet Explorer 6.0 or later also covers Microsoft Internet Explorer 7.0.

Business Activity Monitoring is supported only on Microsoft Internet Explorer.

In addition, to view some LiveCycle ES solution components, such as LiveCycle Workspace ES, you require Adobe Flash® Player 9. You can download the latest version of Flash Player from www.adobe.com.

Application server

The turnkey method currently supports the following application servers which are automatically installed by the turnkey installer:

- JBoss 4.0.3 SP1 (which includes the Apache Tomcat servlet container)
- BEA WebLogic 10.1 MP1

LiveCycle Reader Extensions ES credential

If you are installing LiveCycle Reader Extensions ES, ensure that you have a valid credential and password before you run the installation. If you do not have this information, contact your Adobe account representative. You can choose to skip importing the Reader Extensions ES credential during the installation process and install the credential at a later time by using the trust store component in LiveCycle Administration Console.

Before you install

Before you begin installing to LiveCycle ES, read through the following information to ensure that your installation runs smoothly:

- To reduce the time to complete the installation, it is recommended that you install LiveCycle ES either by using a local copy of the installation file set or directly from the DVD instead of installing from a shared network location.
- To avoid installation errors, do not copy the DVD install image to directory path which exceeds the Microsoft Windows 256 character limit.
- To improve the speed of the installation, disable any on-access virus scanning software for the duration of the installation.
- During the installation, you will be prompted to enter your product serial number(s). Ensure you have them available.
- The turnkey installation creates the following Windows services, which, by default, are set to run automatically on startup:
 - JBoss for Adobe LiveCycle ES (JBoss installs only)
 - BEA WebLogic Admin for Adobe LiveCycle ES (WebLogic installs only)
 - BEA Products NodeManager (WebLogic installs only)
 - MySQL for Adobe LiveCycle ES

You can start, stop, and pause these services by using the Windows Services Control Manager. To open the Windows Services Control Manager, go to Control Panel > Administrative Tools > Services. Using this tool, you can also configure the services to start when the computer starts or to require manual startup.

Note: If JBoss/WebLogic and MySQL are already installed, you must stop the services before you run the turnkey installation and set the services to be started manually.

- By default, the turnkey installation places LiveCycle ES, including all its related components and software, in the C:\Adobe\LiveCycle8.2\ directory (referred to as the *[LiveCycleES root]* directory).

Caution: If you choose to install to a non-default directory, do not use the name *test* as your directory name (for example, C:\test) or the MySQL install process will fail.

- By default, JBoss is installed to and run from the *[LiveCycleES root]/jboss* directory.
- By default, WebLogic is installed to and run from the *[LiveCycleES root]/weblogic* directory.
- By default, the WebLogic Server is created with the following properties:

Server Instance Name: For WebLogic turnkey, the default is *LCServer1*.

Admin User ID: The default WebLogic Admin User ID is *weblogic*.

Password: The default password for the WebLogic Admin User is *password*.

- When LiveCycle Configuration Manager is started, you can choose Express Mode or Custom Mode:

Express Mode: Completes the configuration using defaults and limited configuration screens. Express Mode is recommended if you do not want any special system configuration.

Custom Mode: Allows you to customize the system configuration and requires some advanced knowledge of LiveCycle ES, JBoss Application Server or WebLogic Server, and the MySQL database. Custom Mode is recommended if you want to configure your system in a specific way or want more control over the tasks that LiveCycle Configuration Manager completes.

Preconfiguration for PDF Generator ES and PDF Generator 3D ES

Before you install PDF Generator ES or LiveCycle PDF Generator 3D ES, you must ensure you complete the following two sections.

Granting the Logon As Service right when installing PDF Generator ES or PDF Generator 3D ES

If you are installing PDF Generator ES or PDF Generator 3D ES by using the turnkey method and you need to enable native application file support (which supports converting files from native formats, such as Microsoft Word to PDF), you must grant the Logon As Service right to the Microsoft Administrator in Windows before you begin the turnkey installation.

► **To set the Logon As Service right:**

1. Select **Start > Control Panel > Administrative Tools > Local Security Policy > Local Policies > User Rights Assignment**.
2. Double-click **Log on as a service** and click **Add User or Group**.
3. Type the user name for the Microsoft Administrator and click **OK**.

Installing Acrobat for PDF Generator ES or PDF Generator 3D ES

Note: This section applies only if your configuration requires native file format conversion (for example, Microsoft Word to PDF).

LiveCycle PDF Generator ES or PDF Generator 3D ES can convert many native file formats to PDF. Such native file formats include Microsoft Word, Microsoft Excel, Microsoft PowerPoint, Microsoft Project, Microsoft Visio, Corel WordPerfect, Adobe Photoshop®, Adobe FrameMaker®, and Adobe PageMaker®.

If you plan to use PDF Generator ES or PDF Generator 3D ES native application format conversion or optical character recognition (OCR) generation, you must install Acrobat 9.0 Professional Extended on the computer where PDF Generator ES will run before you run the LiveCycle ES installation program. If you do not install Acrobat 9.0 Professional Extended before you install LiveCycle ES, you must install Acrobat afterward and perform some additional manual tasks.

If you do not want to configure PDF Generator ES or PDF Generator 3D ES to support this functionality, you do not need to install or upgrade to Acrobat 9.0 Professional Extended. However, it is recommended that you upgrade to Acrobat 9.0 Professional Extended in order to support conversions that use Microsoft Office 2007.

A DVD that contains Acrobat 9.0 Professional Extended is supplied with the LiveCycle ES media or as an option for ESD downloads.

► **To install Acrobat 9.0 Professional Extended for PDF Generator ES or PDF Generator 3D ES:**

1. Uninstall any other version of Acrobat by using the **Add/Remove Programs** window in the Windows Control Panel.
2. Restart your computer if prompted.
3. Acrobat 9.0 Professional Extended is provided with the LiveCycle ES media or as an option for ESD downloads.

- If you are using the media, insert the Acrobat 9.0 Professional Extended CD.
 - If you are using the ESD downloads, download Acrobat 9.0 Professional Extended from your ESD location.
4. Install Acrobat 9.0 Professional Extended by running the AutoPlay.exe file.
 5. Follow the instructions on the Acrobat installer screens.

Installing LiveCycle ES

Before you install LiveCycle ES, make sure you have reviewed the following sections:

- ["System prerequisites" on page 9](#)
- ["Installing LiveCycle ES" on page 14](#)

► To install LiveCycle ES:

1. Do one of these tasks:
 - From the download site, download and decompress the LiveCycle ES Electronic Software Download (ESD) to your file system. After it is downloaded, navigate to the \livecycle_server\8.2 folder and double-click the **win_livecycle8_setup.exe** file to start the installation.
 - Depending on the application server you intend to use, use either the JBoss or WebLogic DVD. Navigate to the \livecycle_server\8.2 folder and double-click the **win_livecycle8_setup.exe** file to start the installation.
 2. When prompted, select the language for the installation to use, and then click **OK**.
 3. On the Welcome screen, click **Next**.
 4. If a previous LiveCycle ES 8.0.1 installation exists, the Upgrade Installation screen appears. Select one of the following options:
 - **Upgrade Existing Installation to LiveCycle ES v8.2:** Choose this option if you intend to upgrade from LiveCycle ES 8.0.x to LiveCycle ES 8.2. Ensure that the directory shown on the screen corresponds with the existing version of LiveCycle ES; otherwise, browse to the correct directory.
Choosing this option ensures that information from the existing installation, such as the product serial number, is used. LiveCycle Configuration Manager performs the actual upgrade tasks when the installation process is complete. It is important that you back up your existing environment before you upgrade. (See "LiveCycle ES Database" and "GDS Backup and Recovery" in [Administering LiveCycle ES](#).)
- Note:** If you choose to upgrade the existing LiveCycle ES, go to the [Upgrading to LiveCycle ES 8.2 from 8.0.x](#) document for your application server and follow the instructions for upgrading in that document.
- Note:** If you choose to upgrade the existing LiveCycle ES, go to [Upgrading LiveCycle ES 8.2 from 8.0.x \(for JBoss Turnkey\)](#) and follow the instructions for upgrading in that document.
- **Install LiveCycle ES v8.2:** Choose this option to install a new, separate instance of LiveCycle ES 8.2. If you choose this option, your previous installation of LiveCycle ES will not be upgraded or removed. If you choose this option, you must first remove the existing installation of LiveCycle ES if it was installed by using the turnkey option. Your existing version of LiveCycle ES will not be upgraded. See the [Installing and Deploying LiveCycle ES 8.2](#) [Installing and Deploying LiveCycle ES Using](#)

[Turnkey for JBoss](#) document for your application server and follow the instructions for installing in that document.

5. Accept the default directory as listed or click **Browse** and navigate to the directory where you want to install the product, and then click **Next**. This directory is referred to as *[LiveCycleES root]*.

Note: The installation directory path cannot be long than 40 characters.

6. In the **Serial Number** box, enter the LiveCycle ES serial number and then click **Add**. If you have licensed multiple solution components, repeat this step for each serial number you have.

Note: Installing LiveCycle Barcoded Forms ES, Business Activity Monitoring, or Workspace ES also requires the LiveCycle Process Management ES license.

7. Verify that the list of solution components matches what you require and click **Next**.
8. On the Type of Installation screen, select **Turnkey** and click **Next**.
9. Read the Adobe LiveCycle ES Server License Agreement and, if you agree, select **I accept the terms of the license agreement**, and then click **Next**.
10. Read the JBoss Application Server or BEA WebLogic License Agreement and, if you agree, select **I accept the terms of the license agreement**, and then click **Next**.
11. Read the MySQL License Agreement and, if you agree, select **I accept the terms of the license agreement**, and then click **Next**.
12. Verify the path to your Java 5 SDK or click **Browse** to navigate to its root directory, and then click **Next**. This directory must be the same one that is specified in the `JAVA_HOME` environment variable.
13. **(WebLogic Turnkey only)** Review the default ports. If the default ports are not available or you want to use different ports, you can change the port numbers in the **WebLogic Administration Server Port** box, the **LiveCycle Managed Server Port** box, and the **Node Manager Port** box. Click **Verify Availability** to test the default WebLogic Administration and Managed Server ports to ensure that they are available for LiveCycle ES to use.
14. **(PDF Generator ES and PDF Generator 3D ES only)** Select **Yes, enable native application support for PDF Generator ES**. The native application support functionality allows you to convert native applications, such as Microsoft Word, to PDF. However, you must install these native applications on the same server as you are installing PDF Generator ES and PDF Generator 3D ES. If you are deploying LiveCycle ES to a cluster, you must select **No** and manually configure each node in the cluster. (Turnkey does not support deployment into a cluster. Refer to the application server-specific LiveCycle ES clustering guide.)

Note: PDF Generator 3D ES requires native application support to convert 3D files to PDF. Adobe Acrobat® version 9.0 is required to configure support for native Windows applications. For information about installing Acrobat 9.0, see [“Installing Acrobat for PDF Generator ES or PDF Generator 3D ES” on page 13](#).

15. **(PDF Generator ES and PDF Generator 3D ES only)** Type the user name and password for the user who installed Microsoft Office and click **Next**.

Note: The password for the Microsoft Office user must not contain two consecutive \$ characters (for example, dollar\$\$) as this causes the install wizard to return an ‘invalid credentials’ error.

Caution: You must provide the correct administrator name and password; otherwise, LiveCycle ES will not run. Use the same administrator account you used in [“Installing Acrobat for PDF Generator ES or PDF Generator 3D ES” on page 13](#). This administrator account name must be the same user who installed Microsoft Office on the system and include the Windows MachineName prefix if that user is not a local account on the target computer. Do not use either *localhost* or the IP address of the Windows Server.

If you are installing WebLogic on a virtual computer, you must enter the administrator name as `<machine_name>/<user_name>`. Do not use `<workgroup>/<username>`, the IP address, or *localhost* in this situation.

16. Set the MySQL 5.0 root administrator password and, optionally, type your MySQL port number (for version 5.0). Ensure that you record this password for future reference. MySQL does not support the use of special characters or spaces in the user name or password. Ensure that your password adheres to this restriction.
 - To verify that the port number is available for use, click **Test**. If the port is available, the installer displays a green check mark. If the port is in use, the installer displays a red X.
 - If the port is in use, type a new port number and repeat the process until you find a port that is available. Clicking **Reset** populates the port box with the default port number 1138.
17. Click **Next**, review the preinstallation summary, and then click **Install**. The installation program displays the progress of the installation. This process may take several minutes to complete.
18. Review the Release Notes and click **Next**.
19. Review the post-installation summary information and choose one of these options:
 - If no service pack updates are required, ensure that **Start the LiveCycle Configuration Manager** is selected, and then click **Finish**.
 - If service pack updates are required or if you are installing LiveCycle Content Services ES, deselect this option and click **Finish** to continue with the following sections before you run LiveCycle Configuration Manager.

Note: If you deselect **Start the LiveCycle Configuration Manager** and exit the installer, you can run LiveCycle Configuration Manager by using the ConfigurationManager.bat file located in `[LiveCycleES root]\configurationManager\bin`

Install service packs

Before you complete the configuration using LiveCycle Configuration Manager, apply the latest LiveCycle ES service packs.

Configuring LiveCycle ES

► To configure LiveCycle ES:

1. If you are continuing from the LiveCycle ES installation, proceed to step 2; otherwise, navigate to the `[LiveCycleES root]\configurationManager\bin` folder and run `ConfigurationManager.bat`.
2. On the LiveCycle Configuration Manager Welcome screen, click **Next**.
3. Ensure that **Upgrade from LiveCycle ES**, **Upgrade from LiveCycle 7.x**, and **Install the LiveCycle 7.x Compatibility Layer** are deselected.

Note: If this installation is an upgrade from a LiveCycle 7.x deployment, select **Upgrade from LiveCycle 7.x**, select the appropriate options, and click **Next**. (See [Upgrading to LiveCycle ES for JBoss Turnkey from 7.x](#).) LiveCycle ES for WebLogic turnkey was not available in LiveCycle 7.x; therefore, no upgrade path is required.

4. Click **Next**.
5. On the Turnkey Mode screen, select **Express Mode** (recommended for quick deployments) or **Custom Mode**:
 - If you select Express Mode, click **Next** and go to [“Configuring LiveCycle ES using Express Mode” on page 17](#).
 - If you select Custom Mode, click **Next** and go to [“Configuring LiveCycle ES using Custom Mode” on page 18](#).

Configuring LiveCycle ES using Express Mode

Express Mode completes the configuration by using defaults and limited configuration screens.

You can view the configuration progress at any time by clicking View Progress Log from LiveCycle Configuration Manager.

► To configure LiveCycle ES using Express Mode:

1. Review the list of solution components, ensure the appropriate options are selected, and click **Next**.
2. **(LiveCycle ES Connectors for ECM only)** Review the LiveCycle ES connector configuration information and click **Next**.

Note: After you finish configuring LiveCycle ES, you must configure the services for LiveCycle ES Connector for EMC Documentum, LiveCycle ES Connector for IBM FileNet and LiveCycle ES Connector for IBM Content Manager. (See [“Configuring the Connector for EMC Documentum service” on page 41](#), [“Configuring the Connector for IBM FileNet service” on page 45](#) and [“Configuring the Connector for IBM Content Manager service” on page 58](#).)

3. **(LiveCycle Content Services ES only)** On the LiveCycle Content Services ES Configuration screen, review the Content Services ES configuration information and click **Configure**.
4. **(Content Services ES only)** When the configuration for Content Services ES is completed, click **Next**.
5. Click **Start** to start the express configuration process.

6. When the deployment and express mode configuration are complete, click **Next**.
 7. If you installed Reader Extensions ES, choose one of these options:
 - Browse to the location of your Reader Extensions ES Rights credential file, type your credential password as provided by Adobe, type the name for the configured credential that will be displayed in the Reader Extensions ES application, click **Configure**, and then click **Next**.
 - To skip this step and complete the Rights credential configuration by using LiveCycle Administration Console, select **Configure Later Using LiveCycle Administration Console** and click **Next**. To configure the Rights credential at a later time, log in to LiveCycle Administration Console and click **Settings > Trust Store Management > Local Credentials**.
 8. On the LiveCycle ES Samples Import screen, choose one of these options:
 - Click **Import** to import the LiveCycle ES Samples and then click **Next**.
 - To skip this step, select **Skip LiveCycle ES Samples Import** and click **Next**. You can import the samples at a later date by restarting LiveCycle Configuration Manager and choosing to import the samples.
- Caution:** Do not import the LiveCycle ES Samples if either of these options apply to your situation:
- If you are deploying LiveCycle ES to a production system. Importing the samples creates users with default passwords, which may be a security concern for your production environment.
 - If you are deploying the services for Connector for EMC Documentum or Connector for IBM FileNet and you want to import LiveCycle ES Samples into the Documentum repository or FileNet object store, skip this step. You can import the samples after you configure, enable, and activate the ECM to be the repository provider by using LiveCycle Administration Console. (See ["Configuring the Connector for EMC Documentum service" on page 41](#) or ["Configuring the Connector for IBM FileNet service" on page 45](#).)
9. Review the LiveCycle Configuration Manager task summary list and click **Next**.
 10. Review the Next Steps information. When finished, click **Exit** to exit LiveCycle Configuration Manager.
 11. After you finish configuring LiveCycle ES, you must complete the post-configuration activities that apply to your solution implementation. (See ["Post-Deployment Activities" on page 23](#).)
- At this point, the installation of LiveCycle ES is complete.

Configuring LiveCycle ES using Custom Mode

Custom Mode allows you to customize the system configuration and requires some advanced knowledge. You can view the configuration progress at any time by clicking View Progress Log.

➤ To configure LiveCycle ES using Custom Mode:

1. On the Solution Component Selection screen, ensure that the LiveCycle ES solution components that you installed and plan to deploy are selected, and then click **Next**.
2. On the Task Selection screen, ensure that all the available tasks are selected, and then click **Next**.

Note: The **Configure Application Server** and **Validate Application Server Configuration** tasks are not available for selection for JBoss turnkey. The JBoss turnkey method does not support these tasks because the application server is already configured for LiveCycle ES.

3. On the Configure LiveCycle ES (1 of 3) screen, click **Configure** and, when the EAR files have been configured, click **Next**. Depending on the number of solution components that are included in the configuration, this process may take several minutes to complete. Click **View Progress Log** to view the status of the EAR file configuration.
4. On the Configure LiveCycle ES (2 of 3) screen, set the directories that LiveCycle ES will use to access fonts and store temporary data that is associated with processing jobs:
 - (Optional) To change the default location of the **Adobe server fonts directory**, type the path or browse to the directory.
 - Accept the value in the **Customer fonts directory** box. If you did not specify a location for the customer fonts directory, this box appears empty, and you can choose to specify a new location for your customer fonts. (Accepting the empty box accepts the default font directory location.)

Note: Your right to use fonts provided by parties other than Adobe is governed by the license agreements provided to you by such parties in connection with those fonts, and is not covered under your license to use Adobe software. Adobe recommends that you review and ensure you are in compliance with all applicable non-Adobe license agreements before using non-Adobe fonts with Adobe software, particularly with respect to use of fonts in a server environment.

 - (Optional) To change the default location of the **System fonts directory**, type the path or browse to the directory.
 - (Optional) To specify the **Location of the temporary directory**, click **Browse**.
 - To enable FIPS, ensure that **Enable Federal Information Processing Standards (FIPS) 140-2 cryptography** is selected. Select this option only if you require FIPS to be enforced.

Note: You can also configure FIPS in the LiveCycle Administration Console after deploying LiveCycle ES. After logging into LiveCycle Administration Console, click **Settings > Core System > Core Configurations**.
5. Click **Next**.
6. On the Configure LiveCycle ES (3 of 3) screen, click **Browse** to specify the location of the **Global document storage root directory**. Click **Configure** to configure the GDS directory and when the process is finished, click **Next**.
7. **(Content Services ES only)** On the LiveCycle Content Services ES Configuration screen, set the parameters that Content Services ES will use:
 - Deploy Type:** Select single server for the turnkey installation.
 - Content storage root directory:** The root directory used by Content Services ES.
8. **(Content Services ES only)** Click **Configure** to configure Content Services ES. When complete, click **Next**.
9. On the Configure LiveCycle ES Summary screen, click **Next**.
10. **(Connectors for ECM only)** Review the LiveCycle ES connector configuration information and click **Next**.

Note: After you finish configuring LiveCycle ES, you must configure the services for Connector for EMC Documentum, Connector for IBM FileNet and Connector for IBM Content Manager. (See [“Configuring the Connector for EMC Documentum service” on page 41](#), [“Configuring the Connector for IBM FileNet service” on page 45](#) and [“Configuring the Connector for IBM Content Manager service” on page 58](#).)

11. Reselect the database to ensure that the JDBC driver field (below) shows the default driver (WebLogic only) and, on the Application Server Configuration screen, do the following tasks and then click **Verify Server Connection**:
 - Deploy Type:** Select **Single Server** from the **Deploy Type** list.
 - Server Instance Name:** Enter the name of the server instance. For WebLogic turnkey, the default is LCServer1.
 - Host Name:** Enter the host name of the server where WebLogic is installed.
 - Admin Port:** Enter the WebLogic Admin port. The default is 7001.
 - Admin User ID:** Enter the WebLogic Admin User ID. The default is weblogic.
 - Password:** Enter the password for the WebLogic Admin User. The default is password.
 - Local Application Server Root Directory:** Enter the Local Application Server Root Directory. The default WebLogic directory for the WebLogic turnkey is C:/Adobe/LiveCycle8.2/weblogic/wlserver_10.0.
12. On the Application Server Configuration Details screen, provide the information for the fields (mandatory fields are denoted by an asterisk) and then click **Verify Server Connection**. When the verification is completed successfully, click **Next**.

Note: For steps [12](#) to [15](#), press F1 for details about required information.
13. On the Application Server Configuration Selection screen, select the check boxes to configure the application server and then click **Next**.
14. On the Server Settings Configuration screen, provide the information for the fields and then click **Next**.
15. On the Datasource Configuration screen, provide the information for the fields and then click **Next**.
16. On the Application Server Configuration screen, click **Configure**. Restart the server if you are prompted to do so. When the process is completed, click **Next**.
17. On the Application Server Configuration Validation screen, click **Validate**. When the process is completed, click **Next**.
18. On the Deploy LiveCycle ES EARs screen, click **Deploy**. This operation may take several minutes to complete. Click **View Progress Logs** to view the status of the EAR file configuration. When the deployment is completed successfully, click **Next**.

Note: All the EAR files that are available for deployment are selected by default. Deselect each EAR file that you do not want to deploy at this time. For example, if this is not the first time you have run LiveCycle Configuration Manager, and you previously deployed LiveCycle ES and one of the EAR files failed to deploy, you can deploy it now without deploying the other EAR files. If you are deploying LiveCycle ES for the first time, leave the EAR files selected.
19. On the LiveCycle ES Database Initialization screen, verify the host and port information, and then click **Initialize**. The database initialization task creates tables in the database, adds default data to the tables, and creates basic roles in the database. When the initialization completes successfully, click **Next**.

20. **(Business Activity Monitoring on JBoss only)** On the Initialize Business Activity Monitoring screen, provide the information for the following fields:
 - Database type:** The database on which BAM Server metadata is running.
 - BAM Host:** The name or IP address of the computer that hosts the application server on which BAM Server is running.
 - BAM HTTP Port:** The HTTP service port that the database uses (for example, 9080 for WebSphere, 8080 for JBoss, or 7001 for WebLogic).
 - BAM Administrator User ID:** The administrator ID that is required to log in to BAM Workbench. The default user ID is *system*.
 - BAM Administrator Password:** The password to log in to BAM Workbench. The default password is *manager*.
 21. **(Business Activity Monitoring on JBoss only)** Click **Initialize** to begin the initialization process and, when initialization is complete, click **Next** to continue.
 22. On the LiveCycle ES Server Information screen, type the password for the LiveCycle ES server in the **Password** box. If this is your first time installing LiveCycle ES, type `password`.
 23. Click **Verify Server Connection** to ensure that the information for the default JBoss or WebLogic server is correct. This information will be used when you log in to LiveCycle Administration Console. When the test completes successfully, click **Next**.
 24. On the LiveCycle Component Deployment screen, click **Deploy**. The components deployed at this time are Java archive files that plug into the LiveCycle ES service container for purposes of deploying, orchestrating, and executing services. When the deployment has completed successfully, click **Next**.
 25. On the LiveCycle Component Deployment Validation screen, click **Validate**. LiveCycle Configuration Manager validates that the Java archive files are deployed to and running on the LiveCycle ES server. When the validation is completed successfully, click **Next**.
 26. **(Reader Extensions ES only)** On the LiveCycle Reader Extensions ES Credential Configuration screen, specify the following details that are associated with the Rights credential that activates the solution component services:
 - LiveCycle Reader Extensions ES Rights credential:** The path and file name of the Rights credential (.pfx or .p12 file type).
 - LiveCycle Reader Extensions ES Rights credential password:** The password that is associated with the credential. This password was provided with the credential file.
 - Name for the configured Rights credential:** The name (or alias) that LiveCycle Configuration Manager gives the credential when it is configured. If you are installing Reader Extensions ES for the first time, this name can be any name. If you are upgrading from Reader Extensions ES, you must use the name of your LiveCycle 7.x Rights credential for LiveCycle ES. If you use a different name, you will have to modify code in existing custom applications or, in a future LiveCycle ES release, your existing LiveCycle 7.x QPACs.

This name appears in the Reader Extensions ES web interface, as well as the alias used to reference the credential through SDK calls. You can create any unique name for the Rights credential.
- Tip:** You can skip this step at this time by selecting **Configure later using LiveCycle Administration Console**. You can configure the Rights credential by using LiveCycle Administration Console after the deployment is completed. (After you log in to LiveCycle Administration Console, click **Settings** > **Trust Store Management** > **Local Credentials**.)

27. On the LiveCycle ES Samples Import screen, do one of these tasks:
 - Click **Import** to import the LiveCycle ES Samples, and then click **Next**.
 - To skip this step, select **Skip LiveCycle ES Samples Import** and click **Next**. You can import the samples at a later date by restarting LiveCycle Configuration Manager and choosing to import the samples.

Caution: Do not import the LiveCycle ES Samples if either of these options apply to your situation:

- If you are deploying LiveCycle ES to a production system, importing the samples creates users with default passwords, which may be a security concern for your production environment.
- If you are deploying the services for Connector for EMC Documentum or Connector for IBM FileNet and you want to import LiveCycle ES Samples into the Documentum repository or FileNet object store, skip this step. You can import the samples after you configure, enable, and activate the ECM to be the repository provider by using LiveCycle Administration Console. (See [“Configuring the Connector for EMC Documentum service” on page 41](#) or [“Configuring the Connector for IBM FileNet service” on page 45](#).)

28. When the import completes successfully, click **Next**.
29. On the Summary page, click **Next**.
30. Review the Next Steps information. When finished, click **Exit** to exit LiveCycle Configuration Manager.

Note: After you configure LiveCycle ES, complete the post-configuration activities that apply to your solution implementation. (See [“Post-Deployment Activities” on page 23](#).)

Next steps

If you used LiveCycle Configuration Manager to configure and deploy LiveCycle ES, you can now complete the post-deployment tasks. (See [“Post-Deployment Activities” on page 23](#).)

This section details post-installation tasks that you should complete before you use LiveCycle ES.

Restarting the application server services

After completing the LiveCycle ES installation, you should restart the JBoss or WebLogic services to ensure that they are in a clean running state, because after an install they will be in a high-memory-use initialization state.

Disabling directory listings on JBoss 4.0.3

Due to a possible information disclosure vulnerability, you must disable directory listings on JBoss Application Server 4.0.3.

► **To disable directory listings in JBoss:**

1. Locate the web.xml file and open it in an editor. The file is located here by default:
C:\Adobe\LiveCycle8.2\jboss\server\default\deploy\jbossweb-tomcat55.sar\conf

2. Locate the following setting and modify the `<param-value>` value to false:

```
<init-param>
  <param-name>listings</param-name>
  <param-value>true</param-value>
</init-param>
```

3. Save and close the file.
4. Restart the application server.

Disabling status pages for JBoss Application Server

Due to a possible information disclosure issue, you need to remove access to the JBoss status page by following these steps for your version of the application server.

► **To disable the status page for JBoss Application Server 4.0.3:**

1. Locate `[JBoss_ESroot]/server/all/deploy/jbosswebtomcat55.sar/ROOT.war/WEB-INF` and open the web.xml file in an editor.
2. Comment out the `servlet` and `servlet-mapping` tags as follows:

```
<!-- <servlet>
  <servlet-name>Status Servlet</servlet-name>
  <servlet-class>org.jboss.web.tomcat.tc5.StatusServlet</servlet-class>
</servlet>
<servlet-mapping>
  <servlet-name>Status Servlet</servlet-name>
```

```
<url-pattern>/status</url-pattern>  
</servlet-mapping> -->
```

3. Save and close the file.

► **To disable the status page for JBoss Application Server 4.2:**

1. Locate `[JBoss_ESroot]/server/all/deploy/jbossweb.deployer/ROOT.war/WEB-INF`, and open the `web.xml` file in an editor.
2. Comment out the `servlet` and `servlet-mapping` tags as follows:

```
<!-- <servlet>  
    <servlet-name>Status Servlet</servlet-name>  
    <servlet-class>org.jboss.web.tomcat.service.StatusServlet  
    </servlet-class>  
</servlet>  
<servlet-mapping>  
    <servlet-name>Status Servlet</servlet-name>  
    <url-pattern>/status</url-pattern>  
</servlet-mapping> -->
```

3. Save and close the file.

Accessing LiveCycle Administration Console

LiveCycle Administration Console is the web-based portal for accessing a variety of configuration pages, where you set run-time properties that control the way LiveCycle ES operates. When you log in to LiveCycle Administration Console, you can access User Management, watched folder, and email client configuration, as well as administrative configuration options for other services. You access Applications and Services, which administrators use for deploying services to a production environment, from within LiveCycle Administration Console.

The default user name and password for logging in to LiveCycle Administration Console is *administrator* and *password*. After you log in the first time, you can access User Management and change the password of the LiveCycle ES administrator account. (See [“Accessing User Management” on page 27.](#))

Before you access LiveCycle Administration Console, LiveCycle ES must be deployed and running on your application server.

For information about using the administration web pages, see *LiveCycle Administration Console Help* (available from the Help menu of the LiveCycle Administration Console Home page).

► **To access LiveCycle Administration Console:**

1. Open a web browser and enter this URL:
(JBoss) `http://localhost:8080/adminui` (local deployment using the default port)
(WebLogic) `http://localhost:8001/adminui` (local deployment using the default port)
2. Log in using the default user name and password:
User name: *administrator*
Password: *password*

3. Click **Login**.
4. Click **Services** to access the services' pages, and click **Settings** to access the Core System Settings, User Management, and Trust Store Management pages.

Accessing solution component web applications

After LiveCycle ES is deployed, you can access the web applications that are associated with the following solution components:

- LiveCycle Reader Extensions ES
- LiveCycle Workspace ES
- LiveCycle Rights Management ES
- LiveCycle ES Business Activity Monitoring
- LiveCycle Content Services ES

For information about using Reader Extensions ES, Workspace ES, and Rights Management ES, you can refer to the Help that is available within each application.

After you access the web applications by using the default administrator permissions to ensure that they are accessible, you can create additional users and roles so that others can log in and use the applications. (See [User Management Help](#), which is also available within *LiveCycle Administration Console Help* or the User Management page.)

► To access the Reader Extensions ES web application:

1. Open a web browser and enter this URL:

(JBoss) `http://localhost:8080/ReaderExtensions` (local deployment using the default port)

(WebLogic) `http://localhost:8001/ReaderExtensions` (local deployment using the default port)

2. Log in using the default user name and password:

User name: *administrator*

Password: *password*

Note: You must have administrator or super user privileges to log in using the default user name and password. To allow other users to access Reader Extensions ES, you must create the user accounts in User Management and grant the users the Reader Extensions Web Application role.

► To access the Workspace ES web application:

1. Open a web browser and enter this URL:

(JBoss) `http://localhost:8080/workspace` (local deployment using the default port)

(WebLogic) `http://localhost:8001/workspace` (local deployment using the default port)

2. Log in using the default user name and password:

User name: *administrator*

Password: *password*

Accessing Rights Management ES

To log in to Rights Management ES, you must be assigned the LiveCycle Rights Management End User role.

All new and existing users, including the Super Administrator, are not granted the LiveCycle Rights Management End User role by default. You must create a user account with the LiveCycle Rights Management End User role in User Management, or grant the End User role to existing users. Then, log in to Rights Management ES by using the login information that is associated with the user you create.

► To access the Rights Management ES web application:

1. Open a web browser and enter this URL:

(JBoss) <http://localhost:8080/edc/Login.do> (local deployment using the default port)

(WebLogic) <http://localhost:8001/edc/Login.do> (local deployment using the default port)

2. Log in using the default user name and password:

User name: Administrator or any user who has the Rights Management ES End User role

Password: Password for the user account entered above

Note: You may need to restart the application server if you cannot log in as a user other than administrator.

For information about setting up users and roles and configuring SSL for Rights Management ES, see [Administering LiveCycle ES](#).

When a user adds a principal user to a policy entry in Rights Management ES, no principal users are visible, by default, because the My Policies policy set does not include a domain. To add visible users and groups, you can change the My Policies configuration in the Rights Management ES administration web application to add a domain. All the users in the added domains are visible and can be added to a user policy. (See "Editing Policy Sets" in [Rights Management Administration Help](#).)

► To access the Business Activity Monitoring web application:

1. Open a web browser and enter the appropriate URL:

● <http://localhost:8080/bam/login/dashboard.htm> (local deployment using the default port)

● <http://localhost:8080/bam/login/workbench.htm> (local deployment using the default port)

2. Log in using the default user name and password:

User name: *system*

Password: *manager*

► To access the Content Services ES web application:

Note: You must apply the LiveCycle ContentSpace Administrator or LiveCycle ContentSpace roles for a new user to login to this web application. To do this, you must create the users in User Management and grant them the appropriate role.

1. Open a web browser and enter this URL:

● <http://localhost:8080/contentspace> (local deployment using the default port)

2. Log in using the default user name and password:

User name: *administrator*

Password: *password*

Accessing User Management

User Management allows administrators to maintain a database of all users and groups. The database can be synchronized with one or more third-party user directories to include users and groups from those databases. User Management provides authentication, authorization, and user management for LiveCycle ES solution components, including Reader Extensions ES, Workspace ES, Rights Management ES, LiveCycle Process Management ES, and LiveCycle Forms ES.

► To access User Management:

1. Open a web browser and enter this URL:

(JBoss) `http://localhost:8080/adminui` (local deployment using the default port)

(WebLogic) `http://localhost:8001/adminui` (local deployment using the default port)

2. Log in using the default user name and password:

User name: *administrator*

Password: *password*

3. Click **Settings > User Management**.

Note: For information about configuring users with User Management, click **User Management Help** in the upper-right corner of the User Management page.

Disable the LiveCycle ES Samples for WebLogic turnkey

If you chose not to install the LiveCycle ES Samples (for example, on your production environment), you should disable the connection factory and queues associated with the samples.

► To remove the samples connection factory and queue:

1. Log in to the WebLogic Server Administration Console by typing `http:// [host name] : [port] /console` in the URL line of a web browser.
2. Type the user name and password that you created for the WebLogic Server domain, and then click **Log In**.
3. Under Change Center, click **Lock and Edit**.
4. Under Domain Structure, click **Services > Messaging > JMS Modules > IDPJMSModule**.
5. From the list, select **testQueue** and **testTopic**, click **Delete**, and then click **Finish**.

Encrypting the plaintext password

To encrypt the plaintext password in the data source configuration, follow the instructions at [JBoss.org wiki Encrypting DataSource Passwords](http://JBoss.org/wiki/Encrypting_DataSource_Passwords).

Managing the MySQL database

The turnkey installation and configuration supports the transaction-safe storage engine (InnoDB) in MySQL. This means that all document services must operate in the same storage engine and have consistent version support. (See [MySQL InnoDB Storage Engine](#).)

Configuring LiveCycle ES to access LDAP

If you configured Lightweight Directory Access Protocol (LDAP) for products, those settings are migrated during the upgrade process, and you do not need to perform the steps in this section. If you did not previously configure LDAP, you can use the following procedure as a guideline when configuring User Management to support authentication using LDAP.

► **To configure User Management with LDAP:**

1. Open a web browser, navigate to `http://[host name]:8080/adminui`, and log in. (See [“Accessing solution component web applications” on page 25](#).)
2. Click **Settings** > **User Management** > **Domain Management**, and click **New Enterprise Domain**.
3. In the **ID** box, type a unique identifier for the domain.
4. In the **Name** box, type a descriptive name for the domain.
5. Click **Add Authentication** and, in the **Authentication Provider** list, select **LDAP**.
6. Click **OK** and, on the page that appears, click **Add Directory**.
7. In the **Profile Name** box, type a name, and then click **Next**.
8. Specify values in the **Server**, **Port**, **SSL**, and **Binding** boxes, as required.
9. Under **Populate Page With**, select a directory settings option (for example, select **Default Sun ONE values**), and then click **Next**.
10. Configure **User Settings** as required, and then click **Next**.
11. Configure **Group Settings** as required, and then click either **Test** or **Finish**.
12. (Optional) Test your configuration:
 - Click **Test**.
 - In the **Test Directory** pane, in the **Find** box, enter an object name and, in the **using** box, select the object's type, such as **Login ID**.
 - Click **Test**. If successful, your object's details are displayed. You can then click **Back**.
13. Click **Finish** to exit the Add Directory page, and then click **OK** again.

Note: Sync the LDAP server to ensure that the new settings take effect.

The LiveCycle Barcoded Forms workflow scheduler was used to invoke LiveCycle Barcoded Forms 7.x processes. To continue using Barcoded Forms 7.x processes in LiveCycle ES, you must migrate the LiveCycle Barcoded Forms workflow scheduler to LiveCycle ES.

LiveCycle Barcoded Forms ES processes are invoked using any of the LiveCycle ES common invocation methods, such as email, watched folders, API, or web service calls.

When you installed LiveCycle Barcoded Forms 7.2, the installer automatically set the `WF_BARCODEDFORMS_HOME` environment variable. This variable must still be in place when you upgrade to LiveCycle ES.

You can determine the path to the `[WF_BARCODEDFORMS_HOME]` directory by looking at the `WF_BARCODEDFORMS_HOME` environment variable in Windows.

► **To locate the `[WF_BARCODEDFORMS_HOME]` directory:**

1. On the Windows Desktop or in the **Start** menu, right-click **My Computer** and select **Properties**.
2. On the **Advanced** tab, click **Environment Variables**.
3. Find the `WF_BARCODEDFORMS_HOME` variable in the **System Variable** list. The path to the directory is included there.

► **To migrate the LiveCycle Barcoded Forms workflow scheduler to LiveCycle ES:**

1. Go to the `[LiveCycleES root]/configuratonManager/plugins/upgrade-plugin/collateral` directory and copy the `run-workflow-lc7upgradescheduler.bat` file to the `[WF_BARCODEDFORMS_HOME]/bin` directory, where `[WF_BARCODEDFORMS_HOME]` is the directory set in the `WF_BARCODEDFORMS_HOME` environment variable.
2. Copy the following files to the `[WF_BARCODEDFORMS_HOME]/lib` directory:

File	Location
<code>jbossall-client.jar</code>	<code>[LiveCycleES root]/jboss/client</code>
<code>activation.jar</code>	<code>[LiveCycleES root]/jboss/server/all/lib</code>
<code>mail.jar</code>	<code>[LiveCycleES root]/jboss/server/all/lib</code>
<code>adobe-usermanager-client.jar</code>	<code>[LiveCycleES root]/LiveCycle_ES_SDK/client-libs/common</code>
<code>adobe-pof-client.jar</code>	<code>[LiveCycleES root]/configuratonManager/plugins/upgrade-plugin/lib</code>
<code>adobe-wkf-client.jar</code>	<code>[LiveCycleES root]/configuratonManager/plugins/upgrade-plugin/lib</code>
<code>adobe-wkf-util.jar</code>	<code>[LiveCycleES root]/configuratonManager/plugins/upgrade-plugin/lib</code>
<code>adobe-wkf-qlc.jar</code>	<code>[LiveCycleES root]/configuratonManager/plugins/upgrade-plugin/collateral</code>

The `run-workflow-lc7upgradescheduler.bat` file should be used as Barcoded Forms workflow scheduler to execute LiveCycle 7.x processes in the LiveCycle ES environment.

Configuring LiveCycle PDF Generator ES or LiveCyclePDF Generator 3D ES

If you installed LiveCycle PDF Generator ES or LiveCycle PDF Generator 3D ES as part of your LiveCycle ES solution, complete the following tasks:

- [“Setting environment variables” on page 30](#)
- [“Configuring the application server to use HTTP proxy server” on page 31](#)
- [“Setting the Adobe PDF Printer as the default printer” on page 31](#)
- [“Configuring Acrobat 9.0” on page 32](#)
- [“Ensuring all languages are displayed after conversion” on page 33](#)
- [“Setting PDF Generator ES or PDF Generator 3D ES watched folder performance parameters” on page 33](#)
- [“Installing the IPP client” on page 37](#)

Setting environment variables

If you installed PDF Generator ES or PDF Generator 3D ES and configured it to convert files to PDF, for some file formats, you must manually set an environment variable that contains the absolute path of the executable that is used to start the corresponding application. This table lists the native applications for which PDF Generator ES or PDF Generator 3D ES requires you to set up environment variables.

Application	Environment variable	Example
Acrobat 9.0	Acrobat_PATH	C:\Program Files\Adobe\Acrobat 9.0\Acrobat\Acrobat.exe
FrameMaker®	FrameMaker_PATH	C:\Program Files\Adobe\FrameMaker7.1\FrameMaker.exe
Notepad	Notepad_PATH	C:\WINDOWS\notepad.exe
OpenOffice.org	OpenOffice_PATH	C:\Program Files\OpenOffice.org 2.0
PageMaker®	PageMaker_PATH	C:\Program Files\Adobe\PageMaker 7.0\PageMaker.exe
WordPerfect	WordPerfect_PATH	C:\Program Files\WordPerfect Office 12\Programs\wpwin12.exe

Note: The `OpenOffice_PATH` environment variable is set to the installation folder instead of the path to the executable.

You do not need to set up the paths for Microsoft Office applications such as Word, PowerPoint, Excel, Visio, and Project, or for AutoCAD. The Generate PDF service starts these applications automatically if they are installed on the server.

Configuring the application server to use HTTP proxy server

If the computer that LiveCycle ES is running on uses proxy settings to access external websites, the application server should be started with the following values set as Java Virtual Machine (JVM™) arguments:

```
-Dhttp.proxyHost= [server host]
-Dhttp.proxyPort= [server port]
```

Choose one of the following procedures to start your application server with HTTP proxy host setting.

► To add the setting to JBoss:

1. Ensure that the JBoss Application Server is stopped.
2. From command line, edit the run script in the `[JBoss HOME]/bin/` directory:
 - (Windows) run.bat
3. Add the following text to the script file:

```
Set JAVA_OPTS=%JAVA_OPTS%
-Dhttp.proxyHost= [server host]
-Dhttp.proxyPort= [server port]
```

4. Save and close the file.

► To add the setting to stand-alone WebLogic

1. Stop WebLogic Server if it is running.
2. From a command line, edit the startWebLogic script in the `C:\Bea\user_projects\[your-domain]\bin` directory:
 - (Windows) startWebLogic.cmd
3. Add the following text to the script file:
 - (Windows)

```
set PROXY_SETTINGS=-Dhttp.proxyHost=<hostname> -Dhttp.proxyPort= [port]
```
4. Save and close the file and restart WebLogic.

Setting the Adobe PDF Printer as the default printer

You must set the Adobe PDF Printer to be the default printer on the server. If the Adobe PDF Printer is not set as the default, PDF Generator ES or PDF Generator 3D ES cannot convert files successfully.

► To set the default printer:

1. Select **Start > Printers and Faxes**.
2. In the Printers and Faxes window, right-click **Adobe PDF** and select **Set as Default Printer**.

Configuring Acrobat 9.0

This procedure can be completed after you run LiveCycle Configuration Manager and deploy LiveCycle ES to the application server.

► To configure Acrobat 9.0 Professional Extended for use with PDF Generator ES or PDF Generator 3D ES:

1. If an earlier version (8.1 or earlier) of Acrobat is installed, uninstall it by using Add or Remove Programs in the Windows Control Panel.
2. Acrobat 9.0 Professional Extended is provided with the LiveCycle ES media or as an option for ESD downloads.
 - If you are using the media, insert the Acrobat 9.0 Professional Extended CD.
 - If you are using the ESD downloads, download Acrobat 9.0 Professional Extended from your ESD location.
3. Install Acrobat 9.0 Professional Extended by running the AutoPlay.exe file.
4. Navigate to the additional\scripts folder on the LiveCycle ES installation media.
5. Run the following batch file:

```
Acrobat_for_PDFG_Configuration.bat [LiveCycleES root]
```

6. Open Acrobat and select **Help > Check for updates > Preferences**.
7. Deselect **Automatically check for Adobe updates**.

► To validate the Acrobat 9.0 Professional Extended installation:

1. Navigate to a PDF file on your system and double-click it to open it in Acrobat. If the PDF file opens successfully, Acrobat 9.0 Professional Extended is installed correctly.
2. If the PDF file does not open correctly, uninstall Acrobat and reinstall it.

Note: Ensure that you dismiss all the Acrobat dialog boxes that are displayed after the Acrobat installation is completed and disable the automatic updates for Acrobat.

Set the `Acrobat_PATH` environment variable to point to Acrobat.exe (such as `C:\Program Files\Adobe\Acrobat 9.0\Acrobat\Acrobat.exe`).

► To configure native application support:

1. Install and validate Acrobat as described in the previous procedure.
2. Set Adobe PDF printer as the default printer.
3. **(PDF Generator 3D ES)** Register the DLL file located at `[LiveCycle8.2 root]\plugins\x86win32\PDFG3dAddin.dll`.

Ensuring all languages are displayed after conversion

When HTML files are converted to PDF by using PDF Generator ES or PDF Generator 3D ES, some East Asian languages, such as Japanese, Korean, and Chinese, as well as left-to-right languages, such as Arabic, Armenian, Georgian, Hebrew, Indic, Thai, and Vietnamese, may not be displayed in the PDF file.

To display these languages, appropriate fonts must be present on the client and server.

► **To ensure that East Asian characters are displayed in Windows:**

1. Select **Start > Control Panel** and double-click **Regional and Language Options**.
2. On the **Languages** tab, select **Install files for East Asian languages**.
3. On the **Advanced** tab, select all the options under Code Page Conversion Tables and click **OK**.

If converted PDF files are still missing fonts, verify that the Arial Unicode MS (True Type) font (ARIALUNI.TTF) is present in the C:\WINDOWS\Fonts directory.

Setting PDF Generator ES or PDF Generator 3D ES watched folder performance parameters

To avoid `java.io.IOException` error messages indicating that not enough disk space is available to perform PDF conversions using a watched folder, you can modify the settings for PDF Generator ES or PDF Generator 3D ES in LiveCycle Administration Console.

► **To set performance parameters for PDF Generator ES or PDF Generator 3D ES:**

1. Log in to LiveCycle Administration Console and click **Services > Application and Services > Service Management**, and click **PDFGConfigService** in the list of services.
2. On the Configure PDFGConfigService page, set the following values:

PDFG Cleanup Scan Seconds: 30 min

Job Expiration Seconds: 100 min

Adding fonts to PDF Generator ES or PDF Generator 3D ES

LiveCycle ES provides a central repository of fonts named *Adobe LiveCycle ES Fonts Management*, which is accessible to all LiveCycle ES solution components. The Fonts Management module is a central font repository for all fonts that are accessible to and shared by various LiveCycle ES solution components.

However, PDF Generator ES or PDF Generator 3D ES frequently needs to start external (non-LiveCycle ES) applications on the server that cannot be configured to use the LiveCycle ES fonts repository. This section describes how to make the extra fonts available to these applications so that PDF documents that are created by using PDF Generator ES or PDF Generator 3D ES can use these extra fonts.

Non-Adobe applications

The following list contains non-LiveCycle ES applications that PDF Generator ES or PDF Generator 3D ES can use for PDF generation on the server side:

Windows-only Applications

- Microsoft Office Word
- Microsoft Office Excel
- Microsoft Office PowerPoint
- Microsoft Office Project
- Microsoft Office Visio
- Microsoft Office Publisher
- AutoDesk AutoCAD
- Corel WordPerfect
- Adobe Photoshop CS
- Adobe FrameMaker
- Adobe PageMaker
- Adobe Acrobat Professional Extended

Multiplatform applications

- OpenOffice Writer
- OpenOffice Calc
- OpenOffice Draw
- OpenOffice Impress

Note: In addition to these applications, your list may include additional applications that you added.

Of the above applications, the OpenOffice Suite (which includes Writer, Calc, Draw, and Impress) is available on Windows, Solaris™, and Linux® platforms, whereas other applications are available on Windows only.

Adding new fonts to Windows applications only

All the Windows-only applications that are mentioned above can access all the fonts that are available in the C:\Windows\Fonts (or equivalent) folder. In addition to C:\Windows\Fonts, each of these applications may have its own private fonts folders.

Therefore, if you plan to add any custom fonts to the LiveCycle ES fonts repository, you must ensure that the same fonts are available to the Windows-only applications also by copying these fonts to either C:\Windows\Fonts or to an equivalent folder.

Your custom fonts must be licensed under an agreement that allows you to use them with the applications that have access to these fonts.

Adding new fonts to OpenOffice Suite

Adding custom fonts to OpenOffice Suite is explained on the OpenOffice *Fonts-FAQ* page at <http://wiki.services.openoffice.org>.

In addition, OpenOffice Suite has these resources about the fonts-related behavior:

- *OpenOffice Fonts Troubleshooting Guide* at <http://www.openoffice.org/FAQs/fontguide.html>. Some of the text in this guide is applicable only to OpenOffice 1.x and therefore may be obsolete for OpenOffice 2.x
- *Importing Fonts into OpenOffice 2.1* at http://openoffice.blogs.com/openoffice/2007/02/font_import_wiz.html. Even though this blog mentions OpenOffice 2.1, the instructions that are mentioned should be applicable to OpenOffice 2.2 and later.

Adding new fonts to other applications

If you extended PDF Generator ES by adding support for PDF creation by using other applications, see the user guide that is applicable to the corresponding application to determine the best procedure to use to add new fonts to that application. In Windows, copying your custom fonts to the C:\Windows\Fonts (or equivalent) folder should be sufficient.

Configuring HTML to PDF conversions

The HTML-to-PDF conversion process is designed to use the settings from Acrobat 9.0, thereby overriding the settings from LiveCycle PDF Generator ES.

Note: This configuration is required to enable the HTML-to-PDF conversion process, otherwise this conversion type will fail.

► To configure the HTML-to-PDF conversion:

1. Install and validate Acrobat as described in [“Configuring Acrobat 9.0” on page 32](#).
2. Locate the pdfgen.api file in the `[LiveCycle8.2 root]\plugins\x86win32` directory and copy it to `[Acrobat9.0 root]\Acrobat\plug_ins` directory.

Enabling support for Unicode fonts in HTML to PDF conversions

To enable PDF Generator ES or PDF Generator 3D ES to generate PDF files from HTML source files that contain Unicode fonts, complete the following steps.

Caution: The HTML-to-PDF conversion will fail if a zipped input file contains HTML files with double-byte characters in the filenames. To avoid this problem, do not use double-byte characters when naming HTML files.

1. Copy the Unicode font to any of the following directories as appropriate for your system:
 - Windows
`[Windows root]\windows\fonts`
`[Windows root]\winnt\fonts`

- UNIX
 - /usr/X/lib/X11/fonts/TrueType
 - /usr/openwin/lib/X11/fonts/TrueType
 - /usr/share/fonts/default/TrueType
 - /usr/X11R6/lib/X11/fonts/ttf
 - /usr/X11R6/lib/X11/fonts/truetype
 - /usr/X11R6/lib/X11/fonts/TrueType
 - /usr/X11R6/lib/X11/fonts/TTF
 - /Users/cfqauser/Library/Fonts
 - /System/Library/Fonts
 - /Library/Fonts
 - /Users/ + System.getProperty(<user name>, root) + /Library/Fonts
 - System.getProperty(JAVA_HOME) + /lib/fonts

2. Modify the font-name mapping in the `cffont.properties` file located in the `[LiveCycle8.2 root]/adobe-generatepdf-dsc.jar` file:

- Unpackage this archive, and locate the `cffont.properties` file and open it in an editor.
- In the comma-separated list of Java font names, add a map to your Unicode system font for each font type, as shown in these examples where `kochi mincho` is the name of your Unicode system font:

```
dialog=Arial, Helvetica, kochi mincho
dialog.bold=Arial Bold, Helvetica-Bold, kochi mincho ...
```
- Save and close the properties file, and then repackage and redeploy the `adobe-generatepdf-dsc.jar` file.

Note: On a Japanese operating system, specify the font mapping in the `cffont.properties.ja` file as well, which takes precedence over the standard `cffont.properties` file.

Tip: Fonts in the list are searched from left to right, using the first font found. HTML-to-PDF conversion logs return a list of all the font names that are found in the system. To determine the font name you need to map, add the font to one of the directories above, restart the server and run a conversion. You can determine from the log files the font name to use for mapping.

To embed the font in the generated PDF files, set the `embedFonts` property in the `cffont.properties` file to `true` (the default is `false`).

Installing the IPP client

PDF Generator ES includes an Internet Printing Protocol (IPP) client installer for installation of the PDF Generator ES Internet printer on a client computer. After the installation is complete, a PDF Generator ES printer is added to the list of existing printers on the client computer. This printer can then be used to send documents for conversion to PDF.

Note: The PDF Generator ES IPP Client (wizard) is supported on 32-bit Windows platforms only.

If the IPP Client fails to install on Windows or if you want to install the IPP printer on UNIX or Linux platforms, use the operating system's native Add Printer utility and configure it as described in ["To configure IPP Printer on Windows using the native Add Printer wizard:" on page 37.](#)

► To install the PDF Generator ES IPP Client:

1. Ensure that you successfully installed PDF Generator ES on your server.
2. From a Windows client computer, enter the following URL in your web browser, where *[server]* is the name of the server where you installed PDF Generator ES and *[port]* is the application server port used:

```
http:// [server] : [port] /pdfg-ipp/install
```

3. On the Configure Internet Port screen, select **Use the specified user account** and provide the credentials of a LiveCycle user who has the PDFG Administrator/User role. This user must also have an email address that can be used to receive the converted files. To have this security setting apply to all users on the client computer, select **Use the same security options for all users**, and then click **OK**.
Upon successful installation, a dialog box appears, indicating that "The Printer Adobe LiveCycle PDF Generator ES has been successfully installed."
4. Click **OK**. You will now have a printer named *Adobe LiveCycle PDF Generator ES* in your list of available printers.

► To configure IPP Printer on Windows using the native Add Printer wizard:

1. Click **Start > Printers and Faxes** and double-click **Add Printer**.
2. Click **Next**, select **A network printer, or a printer attached to another computer**, and then click **Next**.
3. Select **Connect to a printer on the internet or on a home or office network** and type the following URL for the IPP printer, where *[server]* is the server name and *[port]* is the port number where the server is running:

```
http:// [server] : [port] /pdfg-ipp/printer
```
4. On the Configure Internet Port screen, select **Use the specified user account** and provide valid User Management credentials.
5. In the **Printer Driver Select** box, choose any standard PostScript-based printer driver (for example, HP Color LaserJet PS).
6. Complete the installation by choosing appropriate options (for example, setting this printer as default).

Note: The user credentials used while adding the printer must have a valid email ID configured in User Management to receive the response.

7. Configure the email service's sendmail service. Provide a valid SMTP server and authentication information in the service's configuration options.
- **To install and configure the PDF Generator ES IPP Client using Proxy server port forwarding**
1. Configure port forwarding on the CC Proxy server on a particular port to the LiveCycle ES server, and disable the authentication at proxy server level (since LiveCycle ES uses its own authentication). If a client connects to this Proxy server on the forwarded port, then all the requests will be forwarded to the LiveCycle ES server.
 2. Install PDFG-IPP printer using the following URL:
`http://[proxy server]:[forwarded port]/pdfg-ipp/install.`
 3. Provide the necessary credentials for authentication of the IPP printer.
 4. The IPP printer will be installed on the client machine which you can use for PDF conversion using the firewall protected LiveCycle ES server.

Migrating HSM credentials

If you are using a Hardware Security Module (HSM) device to store credentials for LiveCycle Document Security 7.x, information about the credentials that are stored in the device must be migrated to the LiveCycle ES trust store.

The function of signing documents that was provided by LiveCycle Document Security 7.x is provided in LiveCycle ES by the Signature service (included in the LiveCycle Digital Signatures ES solution component). The LiveCycle ES trust store stores the various parameters that the Signature service requires for HSM signing, including options for SHA1 and certificate-based identification of an HSM signing key.

Upgrading LiveCycle Document Security 7.x to Digital Signatures ES includes migrating information from the trust.xml file (which LiveCycle ES does not use) to the trust store. Migrated data includes file-based credentials, certificates, and CRLs and preferences information. LiveCycle Configuration Manager performs this process. However, only file-based credentials are migrated, specifically the `p12record` tag in trust.xml file. The HSM reference credentials in the `hsmrecord` tag are not migrated. You must manually migrate HSM credentials. (See [Trust Store Management Help](#).)

- **To migrate HSM credentials:**
1. Log in to LiveCycle Administration Console.
 2. Click **Settings > Trust Store Management > HSM Credentials**.
 3. Click **Add** to add a credential to the LiveCycle ES trust store. (Click the **Help** link in the upper-right corner and go to the "Managing HSM Credentials" section.)
 4. Add all the HSM credentials that you used with LiveCycle 7.x.

Uninstalling LiveCycle ES

Before removing MySQL, back up any data you want to keep.

The uninstallation program does not remove Acrobat, which you may have installed with PDF Generator ES.

► **To remove the product files:**

1. Select **Start > Control Panel > Add or Remove Programs**, click **LiveCycle ES** and click **Remove**.
2. Follow the on-screen instructions and then click **Finish**.

Caution: Removing the MySQL database server permanently deletes all data.

3. Restart your computer.

Note: You can also uninstall LiveCycle ES from `[LiveCycleES_root]_uninst\server`.

3

Advanced Configuration Activities

This section describes advanced post-installation tasks that you may require for your LiveCycle ES environment. The following topics are discussed:

- Enabling Federal Information Processing Standard (FIPS)
- Configuring the service for LiveCycle ES Connector for EMC Documentum
- Configuring the service for LiveCycle ES Connector for IBM FileNet
- Configuring the service for LiveCycle ES Connector for IBM Content Manager
- Re-creating the JBoss for Windows LiveCycle ES service

Enabling Federal Information Processing Standard (FIPS)

LiveCycle ES provides a FIPS mode to restrict data protection to Federal Information Processing Standard (FIPS) 140-2 approved algorithms using the RSA BSAFE Crypto-C 2.1 encryption module.

If you did not enable this option by using LiveCycle Configuration Manager during LiveCycle ES configuration or if you enable it but want to turn it off, you can change this setting through LiveCycle Administration Console.

Modifying FIPS mode requires you to restart the server.

FIPS mode does not support Acrobat versions earlier than 7.0. If FIPS mode is enabled and the Encrypt With Password and Remove Password processes include the Acrobat 5 setting, the process fails.

In general, when FIPS is enabled, the Assembler service does not apply password encryption to any document. If this is attempted, a `FIPSMODEException` is thrown, indicating that "Password encryption is not permitted in FIPS mode." Additionally, the `PDFsFromBookmarks` element is not supported in FIPS mode when the base document is password-encrypted.

► **To turn FIPS mode on or off:**

1. Log in to LiveCycle Administration Console.
2. Click **Settings > Core System > Core Configurations > Configurations**.
3. Select **Enable FIPS** to enable FIPS mode or deselect it to disable FIPS mode.
4. Click **OK** and restart the application server.

Note: LiveCycle ES software does not validate code to ensure FIPS compatibility. It provides a FIPS operation mode so that FIPS-approved algorithms are used for cryptographic services from the FIPS-approved libraries (RSA).

Configuring the Connector for EMC Documentum service

If you installed the Connector for EMC Documentum service as part of your LiveCycle ES solution, complete the following procedure to configure the service to connect to the Documentum repository.

► **To configure Connector for EMC Documentum:**

1. Locate the `adobe-component-ext.properties` file in the folder (if the file does not exist, create it).
2. Add a new system property that provides the following Documentum Foundation Classes JAR files (and for the Connector for EMC Documentum 5.3 only, the location of the Documentum Content Server config folder):
3. Locate the `adobe-component-ext.properties` file (if the file does not exist, create it). For JBoss, the file is in the `[LiveCycleES root]\jboss\bin` folder. For WebLogic, the file is in the `[BEA HOME]/user_projects/domains/Adobe_LiveCycle` folder.
4. Add a new system property that provides the location of the following Documentum Foundation Classes JAR files (and for Connector for EMC Documentum 5.3, the location of the Documentum Content Server config folder):
 - `dfc.jar`
 - (Connector for EMC Documentum 5.3) `dfcbase.jar`
 - (Connector for EMC Documentum 6.0) `aspectjrt.jar`
 - (WebLogic) `log4j.jar`

The new system property should take on this form:

```
[component id].ext=[JAR files and/or folders]
```

For example, using default Content Server and Documentum Foundation Classes installations, add to the file one of the following system properties on a new line, with no line breaks, and end the line with a carriage return:

- Connector for EMC Documentum 5.3 on JBoss only:

```
com.adobe.livecycle.ConnectorforEMCDocumentum.ext=  
C:/Documentum/Config,  
C:/Program Files/Documentum/Shared/dfc.jar,  
C:/Program Files/Documentum/Shared/dfcbase.jar
```

- Connector for EMC Documentum 5.3 on WebLogic only:

```
com.adobe.livecycle.ConnectorforEMCDocumentum.ext=  
C:/Documentum/Config,  
C:/Program Files/Documentum/Shared/dfc.jar,  
C:/Program Files/Documentum/Shared/dfcbase.jar,  
C:/Program Files/Documentum/Shared/log4j.jar
```

- Connector for EMC Documentum 6.0 on JBoss only:

```
com.adobe.livecycle.ConnectorforEMCDocumentum.ext=  
C:/Program Files/Documentum/Shared/dfc.jar,  
C:/Program Files/Documentum/Shared/aspectjrt.jar
```

- Connector for EMC Documentum 6.0 on WebLogic only:

```
com.adobe.livecycle.ConnectorforEMCDocumentum.ext=  
C:/Program Files/Documentum/Shared/dfc.jar,  
C:/Program Files/Documentum/Shared/aspectjrt.jar,  
C:/Program Files/Documentum/Shared/log4j.jar
```

Note: The above text contains formatting characters for line breaks. If you copy and paste this text, you must remove the formatting characters.

5. If JBoss or WebLogic is not currently running, start the JBoss for Adobe LiveCycle ES service or WebLogic for Adobe LiveCycle ES service. Otherwise, if the Adobe LiveCycle ES service is currently running, stop and then restart the service.
6. Open a web browser and enter one of these URLs:
 - (JBoss) <http://localhost:8080/adminui> (local deployment using the default port)
 - (WebLogic) <http://localhost:8001/adminui> (local deployment using the default port)
7. Log in using the default user name and password:
User name: administrator
Password: password
8. Navigate to **Services > LiveCycle ES Connector for EMC Documentum > Configuration Settings** and perform these tasks:
 - Type all the required Documentum repository information.
 - To use Documentum as your repository provider, under Repository Service Provider Information, select **EMC Documentum Repository Provider**, and then click **Save**. (For more information, click the Help link in the upper-right corner of the page in the [EMC Documentum Help](#).)
9. (Optional) Navigate to **Services > LiveCycle ES Connector for EMC Documentum > Repository Credentials Settings**, click **Add**, specify the Docbase information, and then click **Save**. (For more information, click **Help** in the upper-right corner.)
10. Navigate to **Services > Applications and Services > Service Management** and select these services:
 - EMCDocumentumAuthProviderService
 - EMCDocumentumContentRepositoryConnector
 - EMCDocumentumRepositoryProvider
11. Click **Start**. If any of the services do not start correctly, check the settings entered in step [8](#).
12. Do one of the following tasks:
 - To use the Documentum Authorization service (EMCDocumentumAuthProviderService) to display content from a Documentum repository in the Resources view of Workbench ES, continue with this procedure. Using the Documentum Authorization service overrides the default LiveCycle ES authorization and must be configured to log in to Workbench ES using Documentum credentials.
 - To use the LiveCycle ES repository, log in to Workbench ES by using the LiveCycle ES super administrator credentials (by default, *Administrator* and *password*).

You have now completed the required steps for this procedure. Use the credentials provided in step [8](#) for accessing the default repository in this case and use the default LiveCycle ES authorization service.
13. For a JBoss installation, select **Start > Control Panel > Administrative Tools > Services** and restart the **JBoss for Adobe LiveCycle ES** service.

14. For a WebLogic installation, select **Start > Control Panel > Administrative Tools > WebLogic for Node Manager** and restart the **BEA Products NodeManager** service.
15. Log in to LiveCycle Administration Console and click **Settings > User Management > Domain Management**.
16. Click **New Enterprise Domain**, and type a domain ID and name. The domain ID is the unique identifier for the domain. The name is a descriptive name for the domain.
Note: When using DB2 for your LiveCycle ES database, the maximum permitted length of the ID is 100 single-byte (ASCII) characters or 50 double-byte characters or 25 four-byte characters. (See “Adding enterprise domains” in [User Management Help](#).)
Note: When using MySQL for your LiveCycle ES database, use only single-byte (ASCII) characters for the ID. (See “Adding enterprise domains” in [User Management Help](#).)
17. Add a custom authentication provider:
 - Click **Add Authentication**.
 - In the **Authentication Provider** list, select **Custom**.
 - Select **EMCDocumentumAuthProvider** and then click **OK**.
18. Add an LDAP authentication provider:
 - Click **Add Authentication**.
 - In the **Authentication Provider** list, select **LDAP**, and then click **OK**.
19. Add an LDAP directory:
 - Click **Add Directory**.
 - In the **Profile Name** box, type a unique name, and then click **Next**.
 - Specify values for the **Server**, **Port**, **SSL**, **Binding**, and **Populate page with** options. If you select **User** for the **Binding** option, you must also specify values for the **Name** and **Password** fields.
 - (Optional) Select **Retrieve Base DN** to retrieve base domain names, as required.
 - Click **Next**, configure the user settings, click **Next**, configure group settings, as required, and then click **Next**.

For details about the settings, click **User Management Help** in the upper-right corner of the page.
20. Click **OK** to exit the Add Directory page and then click **OK** again.
21. Select the new enterprise domain and click **Sync Now**. Depending on the number of users and groups in your LDAP network and the speed on your connection, the synchronization process may take several minutes.
(Optional) To verify the status of the synchronization, click **Refresh** and view the status in the **Current Sync State** column.
22. Navigate to **Settings > User Management > Users and Groups**.
23. Search for users that were synchronized from LDAP and perform these tasks:
 - Select one or more users and click **Assign Role**.
 - Select one or more LiveCycle ES roles and click **OK**.

- Click **OK** a second time to confirm the role assignment.

Repeat this step for all users that you assign roles to. For more information, click **User Management Help** in the upper-right corner of the page.

24. Start Workbench ES and log in by using the following credentials:

Username: *[username]@[repository_name]*

Password: *[password]*

The Documentum repository should now be visible in the Resources view within Workbench ES. If you do not log in using the *username@repository name*, Workbench ES attempts to log in to the default repository specified in step [8](#).

25. (Optional) If you intend to install the LiveCycle ES Samples for Connector for EMC Documentum, create a Documentum repository named *Samples*, and then install the samples in that repository.

After you configure the Connector for EMC Documentum service, it is recommended that you see [Administering LiveCycle ES](#) for information about configuring Workbench ES functions properly with your Documentum repository.

Creating the XDP format in your Documentum repository

Before users can store and retrieve XDP files from a Documentum repository, you must do one of these tasks:

- Create a corresponding XDP format in each repository where users will access XDP files.
- Configure the Connector for EMC Documentum service to use a Documentum Administrator account when accessing the Documentum repository. In this case, the Connector for EMC Documentum service uses the XDP format whenever it is required.

► To create the XDP format on Documentum Content Server using Documentum Administrator:

1. Log in to Documentum Administrator.
2. Click **Formats** and then select **File > New > Format**.
3. Type the following information in the corresponding fields:

Name: `xdp`

Default File Extension: `xdp`

Mime Type: `application/xdp`

4. Repeat steps [1](#) to [3](#) for all other Documentum repositories where users will store XDP files.

► To configure the Connector for EMC Documentum service to use a Documentum Administrator:

1. Open a web browser and enter this URL:
`http://localhost:[port]/adminui` (local deployment using the default port)
2. Open a web browser and enter this URL:
 - (JBoss) `http://localhost:8080/adminui` (local deployment using the default port)
 - (WebLogic) `http://localhost:7001/adminui` (local deployment using the default port)

3. Log in using the default user name and password:
User name: administrator
Password: password
4. Click **Services > LiveCycle ES Connector for EMC Documentum > Configuration Settings**.
5. Under Documentum Principal Credentials Information, update the following information and then click **Save**:
User Name: *[Documentum Administrator user name]*
Password: *[Documentum Administrator password]*
6. Click **Repository Credentials Settings**, select a repository from the list or, if none exist, click **Add**.
7. Provide the appropriate information in the corresponding fields and then click **Save**:
Repository Name: *[Repository Name]*
Repository Credentials User Name: *[Documentum Administrator user name]*
Repository Credentials Password: *[Documentum Administrator password]*
8. Repeat steps [6](#) to [7](#) for all repositories where users will store XDP files.

Configuring the Connector for IBM FileNet service

If you installed the Connector for IBM FileNet service as part of your LiveCycle ES solution, you must configure the service to connect to the FileNet object store. See one of the following sections appropriate to your version of IBM FileNet:

- ["Configuring the connector using FileNet 3.5" on page 45](#)
- ["Configuring the connector using FileNet 4.0.1" on page 49](#)

Configuring the connector using FileNet 3.5

Complete the following procedure to configure the Connector for IBM FileNet service using FileNet 3.5.

► To configure the connector using FileNet 3.5:

1. Locate the adobe-component-ext.properties file (if the file does not exist, create it). For JBoss, the file is in the *[LiveCycle ES root]\jboss\bin* folder. For WebLogic, the file is in the *[BEA HOME]/user_projects/domains/Adobe_LiveCycle* folder.
2. Add a new system property that provides the location of these FileNet Application Engine JAR files:
 - activation.jar
 - javaapi.jar
 - log4j-1.2.8.jar
 - mailapi.jar
 - p8cjares.jar
 - soap.jar
 - xercesimpl.jar

- xml-apis.jar
- (optional) pe.jar

Note: Add the pe.jar file only if your deployment uses the IBMFileNetProcessEngineConnector service. The new system property should reflect this structure:

```
[component id].ext=[JAR files and/or folders]
```

For example, using a default FileNet Application Engine installation on a Windows operating system, add to the file the following system property on a new line, with no line breaks, and end the line with a carriage return:

Note: The following text contains formatting characters for line breaks. If you copy this text to a location outside this document, remove the formatting characters when you paste it to the new location.

```
com.adobe.livecycle.ConnectorforIBMFileNet.ext=  
C:/Program Files/FileNet/lib2/activation.jar,  
C:/Program Files/FileNet/lib2/javaapi.jar,  
C:/Program Files/FileNet/lib2/log4j-1.2.8.jar,  
C:/Program Files/FileNet/lib2/mailapi.jar,  
C:/Program Files/FileNet/lib2/p8cjares.jar,  
C:/Program Files/FileNet/lib2/soap.jar,  
C:/Program Files/FileNet/lib2/xercesImpl.jar,  
C:/Program Files/FileNet/lib2/xml-apis.jar,  
C:/Program Files/FileNet/lib2/pe.jar
```

Note: Add the text C:/Program Files/FileNet/lib2/pe.jar only if your deployment uses the IBMFileNetProcessEngineConnector service.

3. If JBoss or WebLogic is not currently running, start the JBoss for Adobe LiveCycle ES service or WebLogic for Adobe LiveCycle ES service. Otherwise, if the Adobe LiveCycle ES service is currently running, stop and then restart the service.
4. Open a web browser and enter one of these URLs:
 - (JBoss) http://localhost:8080/adminui (local deployment using the default port)
 - (WebLogic) http://localhost:7001/adminui (local deployment using the default port)
5. Log in using the default user name and password:
 - User name:** administrator
 - Password:** password
6. Click **Services > LiveCycle ES Connector for IBM FileNet**.
7. Provide all the required FileNet repository information and, under Repository Service Provider Information, select **IBM FileNet Repository Provider**.

If your deployment uses the optional process engine service, under Process Engine Settings, select **Use Process Engine Connector Service** and specify the process engine settings. For more information, click the **Help** link on the upper-right corner of the page.

Note: The credentials you provide in this step are validated later when you start the IBM FileNet repository services. If the credentials are not valid, an error is thrown and the services will not start.
8. Click **Save** and then navigate to **Services > Applications and Services > Service Management**.

9. Select the check box next to each of the following services and then click **Start**:
 - IBMFileNetAuthProviderService
 - IBMFileNetContentRepositoryConnector
 - IBMFileNetRepositoryProvider
 - IBMFileNetProcessEngineConnector (if configured)If any of the services do not start correctly, verify the settings entered in step [4](#).
10. Do one of the following tasks:
 - To use the FileNet Authorization service (IBMFileNetAuthProviderService) to display content from a FileNet object store in the Resources view of Workbench ES, continue with this procedure. Using the FileNet Authorization service overrides the default LiveCycle ES authorization and must be configured to log in to Workbench ES by using FileNet credentials.
 - To use the LiveCycle ES repository, log in to Workbench ES by using the LiveCycle ES super administrator credentials (by default, *Administrator* and *password*). The credentials provided in step [4](#) use the default LiveCycle ES authorization service for accessing the default repository in this case.
11. For a JBoss installation, select **Start > Control Panel > Administrative Tools > Services** and restart the **JBoss for Adobe LiveCycle ES** service.
12. For a WebLogic installation, select **Start > Control Panel > Administrative Tools > WebLogic for Node Manager** and restart the **BEA Products NodeManager** service.
13. Restart your application server.
14. Log in to LiveCycle Administration Console and click **Settings > User Management > Domain Management**.
15. Click **New Enterprise Domain** and type a domain ID and name. The domain ID is the unique identifier for the domain. The name is a descriptive name for the domain.

Note: When using DB2 for your LiveCycle ES database, the maximum permitted length of the ID is 100 single-byte (ASCII) characters or 50 double-byte characters or 25 four-byte characters. (See "Adding enterprise domains" in [User Management Help](#).)

Note: When using MySQL for your LiveCycle ES database, use only single-byte (ASCII) characters for the ID. (See "Adding enterprise domains" in [User Management Help](#).)
16. Add a custom authentication provider:
 - Click **Add Authentication**.
 - In the **Authentication Provider** list, select **Custom**.
 - Select **IBMFileNetAuthProviderService** and then click **OK**.
17. Add an LDAP authentication provider:
 - Click **Add Authentication**.
 - In the **Authentication Provider** list, select **LDAP** and then click **OK**.
18. Add an LDAP directory:
 - Click **Add Directory**.
 - In the **Profile Name** box, type a unique name, and then click **Next**.

- Specify values for the **Server**, **Port**, **SSL**, **Binding**, and **Populate page with** options. If you select **User** for the **Binding** option, you must also specify values for the **Name** and **Password** fields.
 - (Optional) Select **Retrieve Base DN** to retrieve base domain names, as required. When finished, click **Next**.
 - Configure the user settings, click **Next**, configure group settings as required, and then click **Next**.
For details about the settings, click the **Help** link in the upper-right corner of the page.
19. Click **OK** to exit the Add Directory page and then click **OK** again.
20. Select the new enterprise domain and click **Sync Now**. Depending on the number of users and groups in your LDAP network and the speed on your connection, the synchronization process may take several minutes.
(Optional) To verify the status of the synchronization, click **Refresh** and view the status in the **Current Sync State** column.
21. Navigate to **Settings > User Management > Users and Groups**.
22. Search for users that were synchronized from LDAP and perform these tasks:
- Select one or more users and click **Assign Role**.
 - Select one or more LiveCycle ES roles and click **OK**.
 - Click **OK** a second time to confirm the role assignment.
- Repeat this step for all users you want to assign roles to. For more information, click the **Help** link in the upper-right corner of the page.
23. Start Workbench ES and log in using the following credentials:
- Username:** *[username]@[repository_name]*
- Password:** *[password]*
- The FileNet object store should now be visible in the Resources view within Workbench ES. If you do not log in using *username@repository_name*, Workbench ES attempts to log in to the default repository specified in step 4.
24. (Optional) If you intend to install the LiveCycle ES samples for Connector for IBM FileNet, create a FileNet object store named *Samples* and then install the samples in that object store.

After you configure your Connector for IBM FileNet service, it is recommended that you see [Administering LiveCycle ES](#) for information about configuring Workbench ES functions properly with your FileNet repository.

Configuring the connector using FileNet 4.0.1

Choose one of the following procedures, as applicable to your application server, to configure the Connector for IBM FileNet service using FileNet 4.0.1:

- (JBoss Application Server or WebLogic Server) [“To configure the connector using FileNet 4.0.1 and CEWS transport:” on page 49](#)
- (WebLogic Server only) [“To configure the connector using FileNet 4.0.1 and EJB transport:” on page 54](#)

► To configure the connector using FileNet 4.0.1 and CEWS transport:

1. Using the method that is appropriate to your application server, add a new Java option in the registry where other arguments are defined:
 - (JBoss Application Server) Open the application server run file `[appserver root]/bin/run.bat` (Windows) or `[appserver root]/bin/run.sh` (UNIX) in a text editor and add the location of the FileNet Configuration files as a Java option to the application server start command.
 - (WebLogic Server) In the WebLogic Administration Console, do these tasks:
 - Under Domain Structure, click **Environment** > **Servers**.
 - In the right pane, click the name of your server, and then click the **Configuration** tab > **Server Start**.
 - Under Change Center, click **Lock & Edit** and, in the **Arguments** box, enter the Java option.

The new Java option is as follows:

```
-Dwasp.location=/<configuration files location>
```

For example, using a default FileNet Application Engine installation on a Windows operating system, add this Java option:

```
-Dwasp.location=C:/Progra~1/FileNet/AE/CE_API/wsi
```

Note: If JBoss or WebLogic is running as a service, add the Java option in the registry where other JVM arguments are defined.

2. On JBoss, save the edited file; on WebLogic, click **Save**.
3. (JBoss only) If your deployment uses the Process Engine Connector service, copy this file:
`[appserver root]\client\logkit.jar` to the directory `[appserver root]\server\all\lib`.
4. Locate the `adobe-component-ext.properties` file (if the file does not exist, create it). On JBoss, the file is located in the `[LiveCycle ES root]/jboss/bin` folder. On WebLogic, the file is in the `[BEA_HOME]/user_projects/domains/Adobe_LiveCycle` folder.
5. Add a new system property that provides the location of these FileNet Application Engine JAR files:
 - `javaapi.jar`
 - `log4j-1.2.13.jar`
 - `soap.jar`
 - `wasp.jar`
 - `builtin_serialization.jar`
 - `wSDL_api.jar`
 - `jaxm.jar`

- jaxrpc.jar
- saaj.jar
- jetty.jar
- runner.jar
- p8cjares.jar
- Jace.jar
- (optional) pe.jar

Note: Add the pe.jar file only if your deployment uses the IBMFileNetProcessEngineConnector service. The new system property should reflect this structure:

```
[component id].ext=[JAR files and/or folders]
```

For example, using a default FileNet Application Engine installation on a Windows operating system, add the following system property on a new line with no line breaks and end the line with a carriage return:

Note: The following text contains formatting characters for line breaks. If you copy this text to a location outside this document, remove the formatting characters when you paste it to the new location.

```
com.adobe.livecycle.ConnectorforIBMFileNet.ext=  
C:/Program Files/FileNet/AE/CE_API/lib2/javaapi.jar,  
C:/Program Files/FileNet/AE/CE_API/lib2/log4j-1.2.13.jar,  
C:/Program Files/FileNet/AE/Workplace/WEB-INF/lib/soap.jar,  
C:/Program Files/FileNet/AE/CE_API/wsi/lib/wasp.jar,  
C:/Program Files/FileNet/AE/CE_API/wsi/lib/builtin_serialization.jar,  
C:/Program Files/FileNet/AE/CE_API/wsi/lib/wsdl_api.jar,  
C:/Program Files/FileNet/AE/CE_API/wsi/lib/jaxm.jar,  
C:/Program Files/FileNet/AE/CE_API/wsi/lib/jaxrpc.jar,  
C:/Program Files/FileNet/AE/CE_API/wsi/lib/saaj.jar,  
C:/Program Files/FileNet/AE/CE_API/wsi/lib/jetty.jar,  
C:/Program Files/FileNet/AE/CE_API/wsi/lib/runner.jar,  
C:/Program Files/FileNet/AE/CE_API/lib2/p8cjares.jar,  
C:/Program Files/FileNet/AE/CE_API/lib/Jace.jar,  
C:/Program Files/FileNet/AE/Workplace/WEB-INF/lib/pe.jar
```

Note: Add C:/Program Files/FileNet/AE/Workplace/WEB-INF/lib/pe.jar only if your deployment uses the IBMFileNetProcessEngineConnector service.

6. (FileNet Process Engine Connector only) Using a text editor, create a file with the following content as a single line and end the line with a carriage return:

```
RemoteServerUrl = cemp:http://[contentserver_IP]:[contentengine_port]/  
wsi/FNCEWS40DIME/
```

7. Save the file as WCMApiConfig.properties in a separate folder, and add the location of the folder that contains the WCMApiConfig.properties file to the adobe-component-ext.properties file.

For example, if you save the file as c:/pe_config/WCMApiConfig.properties, add the path c:/pe_config to the adobe-component-ext.properties file.

8. (JBoss only) Locate the login-config.xml file in the [appserver root]/server/all/conf folder and add the following application policy as a child of the <policy> node:

```
<application-policy name = "FileNetP8WSI">  
<authentication>
```

```
<login-module code = "com.filenet.api.util.WSILoginModule" flag =  
    "required" />  
</authentication>  
</application-policy>
```

9. (FileNet Process Engine Connector on JBoss only) If your deployment uses the process engine, add the following node to the login-config file:

```
<application-policy name = "FileNetP8">  
    <authentication>  
        <login-module code = "com.filenet.api.util.WSILoginModule" flag =  
            "required" />  
    </authentication>  
</application-policy>
```

10. (WebLogic only) If a custom JAAS configuration file is being used, add the following lines in the custom JAAS configuration file:

```
FileNetP8 {weblogic.security.auth.login.UsernamePasswordLoginModule  
    required authOnLogin=true;};  
FileNetP8WSI {com.filenet.api.util.WSILoginModule required;};  
FileNetP8Engine  
    {weblogic.security.auth.login.UsernamePasswordLoginModule required  
    authOnLogin=true;};  
FileNetP8Server  
    {weblogic.security.auth.login.UsernamePasswordLoginModule required  
    authOnLogin=true;};
```

- Tip:** You can determine whether a custom JAAS configuration file is used from the value of the `-Djava.security.auth.login.config` property in the application server start command.

11. (FileNet Process Engine Connector on WebLogic only) If your deployment uses the FileNet Process Engine Connector, do one of these tasks, as applicable to your configuration:

- If your deployment uses a custom JAAS file, add the following line to the custom JAAS file:

```
FileNetP8 {com.filenet.api.util.WSILoginModule required;};
```

- If your deployment does not use a custom JAAS file, use a text editor to create a file with the following content:

```
FileNetP8 {com.filenet.api.util.WSILoginModule required;};
```

Save the file as `jaas.conf.WSI` and add the location of the file as the following Java option in the WebLogic Server start command:

```
-Djava.security.auth.login.config=<JAAS file location>
```

For example, if you save the file as `C:/pe_config/jaas.conf.WSI`, add the following Java option:

```
-Djava.security.auth.login.config=C:/pe_config/jaas.conf.WSI
```

12. If JBoss Application Server or WebLogic Server is not currently running, start the server. Otherwise, stop and then restart the server. If JBoss or WebLogic runs as a service, start (or restart) the Adobe LiveCycle ES service.

13. Open a web browser and enter this URL:

```
http://localhost:<port number>/adminui (local deployment using the default port)
```

On JBoss, the port number is 8080. On WebLogic, the port number is 7001.

14. Log in using the default user name and password:
 - User name:** administrator
 - Password:** password
15. Click **Services > LiveCycle ES Connector for IBM FileNet**.
16. Provide all of the required FileNet repository information and, under Repository Service Provider Information, select **IBM FileNet Repository Provider**.

If your deployment uses the optional process engine service, under Process Engine Settings, select **Use Process Engine Connector Service** and specify the process engine settings. For more information, click the **Help** link in the upper-right corner of the page.

Note: The credentials that you provide in this step are validated later when you start the IBM FileNet repository services. If the credentials are not valid, an error is thrown and the services will not start.
17. Click **Save** and navigate to **Services > Applications and Services > Service Management**.
18. Select the check box next to each of these services and then click **Start**:
 - IBMFileNetAuthProviderService
 - IBMFileNetContentRepositoryConnector
 - IBMFileNetRepositoryProvider
 - IBMFileNetProcessEngineConnector (if configured)

If any of the services do not start correctly, verify the settings entered in step [16](#).
19. Do one of the following tasks:
 - To use the FileNet Authorization service (IBMFileNetAuthProviderService) to display content from a FileNet object store in the Resources view of Workbench ES, continue with this procedure. Using the FileNet Authorization service overrides the default LiveCycle ES authorization and must be configured to log in to Workbench ES by using FileNet credentials.
 - To use the LiveCycle ES repository, log in to Workbench ES by using the LiveCycle ES super administrator credentials (by default, *Administrator* and *password*). The credentials provided in step [16](#) use the default LiveCycle ES authorization service for accessing the default repository in this case.
20. For a JBoss installation, select **Start > Control Panel > Administrative Tools > Services** and restart the **JBoss for Adobe LiveCycle ES** service.
21. For a WebLogic installation, select **Start > Control Panel > Administrative Tools > WebLogic for Node Manager** and restart the **BEA Products NodeManager** service.
22. Restart your application server.
23. Log in to LiveCycle Administration Console and click **Settings > User Management > Domain Management**.
24. Click **New Enterprise Domain** and then type a domain ID and name. The domain ID is the unique identifier for the domain. The name is a descriptive name for the domain.

Note: When using DB2 for your LiveCycle ES database, the maximum permitted length of the ID is 100 single-byte (ASCII) characters or 50 double-byte characters or 25 four-byte characters. (See “Adding enterprise domains” in [User Management Help](#).)

Note: When using MySQL for your LiveCycle ES database, use only single-byte (ASCII) characters for the ID. (See “Adding enterprise domains” in [User Management Help](#).)

25. Add a custom authentication provider:
 - Click **Add Authentication**.
 - In the **Authentication Provider** list, select **Custom**.
 - Select **IBMFileNetAuthProviderService** and then click **OK**.
26. Add an LDAP authentication provider:
 - Click **Add Authentication**.
 - In the **Authentication Provider** list, select **LDAP** and then click **OK**.
27. Add an LDAP directory:
 - Click **Add Directory** and, in the **Profile Name** box, type a unique name, and then click **Next**.
 - Specify values for the **Server**, **Port**, **SSL**, **Binding**, and **Populate page with** options. If you select **User** for the **Binding** option, you must also specify values for the **Name** and **Password** fields.
 - (Optional) Select **Retrieve Base DN** to retrieve base domain names, as required. When finished, click **Next**.
 - Configure the user settings, click **Next**, configure group settings as required, and then click **Next**.
For details about the settings, click **Help** link in the upper-right corner of the page.
28. Click **OK** to exit the Add Directory page, and then click **OK** again.
29. Select the new enterprise domain and click **Sync Now**. Depending on the number of users and groups in your LDAP network and the speed on your connection, the synchronization process may take several minutes.

(Optional) To verify the status of the synchronization, click **Refresh** and view the status in the **Current Sync State** column.
30. Navigate to **Settings > User Management > Users and Groups**.
31. Search for users that were synchronized from LDAP and perform these tasks:
 - Select one or more users and click **Assign Role**.
 - Select one or more LiveCycle ES roles and click **OK**.
 - Click **OK** a second time to confirm the role assignment.

Repeat this step for all users you want to assign roles to. For more information, click the **Help** link in the upper-right corner of the page.

32. Start Workbench ES and log in using the following credentials:

User name: `[username]@[repository_name]`

Password: `[password]`

The FileNet object store should now be visible in the Resources view within Workbench ES. If you do not log in using the `username@repository name`, Workbench ES attempts to log in to the default repository specified in step [16](#).

33. (Optional) If you intend to install the LiveCycle ES Samples for Connector for IBM FileNet, create a FileNet object store named *Samples* and install the samples in that object store.

After you configure your Connector for IBM FileNet service, it is recommended that you see [Administering LiveCycle ES](#) for information about configuring Workbench ES functions properly with your FileNet repository.

► **To configure the connector using FileNet 4.0.1 and EJB transport:**

1. Locate the `adobe-component-ext.properties` file in the `[BEA_HOME]/user_projects/domains/Adobe_LiveCycle` folder (if the file does not exist, create it).
2. Add a new system property that provides the location of the following FileNet Application Engine JAR files:
 - `javaapi.jar`
 - `log4j-1.2.13.jar`
 - `p8cjares.jar`
 - `Jace.jar`
 - (optional) `pe.jar`

Note: Add the `pe.jar` file only if your deployment uses the `IBMFileNetProcessEngineConnector` service. The new system property should reflect this structure:

```
[component id].ext=[JAR files and/or folders]
```

For example, using a default FileNet Application Engine installation on a Windows operating system, add the following system property on a new line, with no line breaks, and end the line with a carriage return:

Note: The following text contains formatting characters for line breaks. If you copy this text to a location outside this document, remove the formatting characters when you paste it to the new location.

```
com.adobe.livecycle.ConnectorforIBMFileNet.ext=  
C:/Program Files/FileNet/AE/CE_API/lib2/javaapi.jar,  
C:/Program Files/FileNet/AE/CE_API/lib2/log4j-1.2.13.jar,  
C:/Program Files/FileNet/AE/CE_API/lib2/p8cjares.jar,  
C:/Program Files/FileNet/AE/CE_API/lib/Jace.jar,  
C:/Program Files/FileNet/AE/Workplace/WEB-INF/lib/pe.jar
```

Note: Add `C:/Program Files/FileNet/AE/Workplace/WEB-INF/lib/pe.jar` only if your deployment uses the `IBMFileNetProcessEngineConnector` service.

3. (FileNet Process Engine Connector only) Using a text editor, create a file with the following content as a single line and end the line with a carriage return:

```
RemoteServerUrl = cemp:http://[contentserver_IP]:[contentengine_port]/  
wsi/FNCEWS40DIME/
```

4. Save the file you created as `WCMApiConfig.properties` in a separate folder, and add the location of the folder that contains the `WCMApiConfig.properties` file to the `adobe-component-ext.properties` file.
For example, if you save the file as `c:/pe_config/WCMApiConfig.properties`, add the path `c:/pe_config` to the `adobe-component-ext.properties` file.

5. If a custom JAAS configuration file is being used, add the following lines in the custom JAAS configuration file:

```
FileNetP8 { weblogic.security.auth.login.  
    UsernamePasswordLoginModule required authOnLogin=true; };  
FileNetP8WSI { com.filenet.api.util.WSILoginModule required; };  
FileNetP8Engine { weblogic.security.auth.login.  
    UsernamePasswordLoginModule required authOnLogin=true; };  
FileNetP8Server { weblogic.security.auth.login.  
    UsernamePasswordLoginModule required authOnLogin=true; };
```

Tip: You can determine whether a custom JAAS configuration file is used from the value of the `-Djava.security.auth.login.config` property in the application server start command.

6. (FileNet Process Engine Connector only) If your deployment uses the FileNet Process Engine Connector, do one of these tasks, as applicable to your configuration:

- If your deployment uses a custom JAAS file, add the following line to the custom JAAS file:

```
FileNetP8 {com.filenet.api.util.WSILoginModule required};
```

- If your deployment does not use a custom JAAS file, use a text editor to create a file with the following content:

```
FileNetP8 {com.filenet.api.util.WSILoginModule required};
```

Save the file as `jaas.conf.WSI` and add the location of the file as the following Java option in the WebLogic Server start command:

```
-Djava.security.auth.login.config=<JAAS file location>
```

For example, if you save the file as `C:/pe_config/jaas.conf.WSI` add the following Java option:

```
-Djava.security.auth.login.config=C:/pe_config/jaas.conf.WSI
```

7. If WebLogic Server is not currently running, start the server. Otherwise, stop and then restart the server.
8. Open a web browser and enter this URL:

```
http://localhost:7001/adminui (local deployment using the default port)
```

9. Log in using the default user name and password:

User name: administrator

Password: password

10. Click **Services > LiveCycle ES Connector for IBM FileNet**.

11. Provide all of the required FileNet repository information and, under Repository Service Provider Information, select **IBM FileNet Repository Provider**.

If your deployment uses the optional process engine service, under Process Engine Settings, select **Use Process Engine Connector Service** and specify the process engine settings. For more information, click the **Help** link in the upper-right corner of the page.

Note: The credentials you provide during this step are validated later when you start the IBM FileNet repository services. If the credentials are not valid, an error is thrown and the services will not start.

12. Click **Save**.
13. Under FileNet DSC Configuration Information, in the **Port Number box**, enter the port number where Content Engine is running. The default port is 7001.
14. Click **Save** and then navigate to **Services > Applications and Services > Service Management**.
15. Select the check box next to each of these services and then click **Start**:
 - IBMFileNetAuthProviderService
 - IBMFileNetContentRepositoryConnector
 - IBMFileNetRepositoryProvider
 - IBMFileNetProcessEngineConnector (if configured)If any of the services do not start correctly, verify the settings entered in step [11](#).
16. Do one of the following tasks:
 - To use the FileNet Authorization service (IBMFileNetAuthProviderService) to display content from a FileNet object store in the Resources view of Workbench ES, continue with this procedure. Using the FileNet Authorization service overrides the default LiveCycle ES authorization and must be configured to log in to Workbench ES by using FileNet credentials.
 - To use the LiveCycle ES repository, log in to Workbench ES by using the LiveCycle ES super administrator credentials (by default, *Administrator* and *password*). The credentials provided in step [11](#) use the default LiveCycle ES authorization service for accessing the default repository in this case.
17. Restart WebLogic Server.
18. Log in to LiveCycle Administration Console and click **Settings > User Management > Domain Management**.
19. Click **New Enterprise Domain** and type a domain ID and name. The domain ID is the unique identifier for the domain. The name is a descriptive name for the domain.

Note: When using DB2 for your LiveCycle ES database, the maximum permitted length of the ID is 100 single-byte (ASCII) characters or 50 double-byte characters or 25 four-byte characters. (See "Adding enterprise domains" in [User Management Help](#).)

Note: When using MySQL for your LiveCycle ES database, use only single-byte (ASCII) characters for the ID. (See "Adding enterprise domains" in [User Management Help](#).)
20. Add a custom authentication provider:
 - Click **Add Authentication** and, in the **Authentication Provider** list, select **Custom**.
 - Select **IBMFileNetAuthProviderService** and click **OK**.
21. Add an LDAP authentication provider:
 - Click **Add Authentication**.
 - In the **Authentication Provider** list, select **LDAP** and then click **OK**.

22. Add an LDAP directory:
 - Click **Add Directory** and, in the **Profile Name** box, type a unique name, and then click **Next**.
 - Specify values for the **Server, Port, SSL, Binding,** and **Populate page with** options. If you select **User** for the **Binding** option, you must also specify values for the **Name** and **Password** fields.
 - (Optional) Select **Retrieve Base DN** to retrieve base domain names as required. When finished, click **Next**.
 - Configure the user settings, click **Next**, configure group settings, as required, and then click **Next**.
For information, click the **Help** link in the upper-right corner of the page.
23. Click **OK** to exit the Add Directory page, and then click **OK** again.
24. Select the new enterprise domain and click **Sync Now**. Depending on the number of users and groups in your LDAP network and the speed on your connection, the synchronization process may take several minutes.
(Optional) To verify the status of the synchronization, click **Refresh** and view the status in the **Current Sync State** column.
25. Navigate to **Settings > User Management > Users and Groups**.
26. Search for users that were synchronized from LDAP and perform these tasks:
 - Select one or more users and click **Assign Role**.
 - Select one or more LiveCycle ES roles, and click **OK**.
 - Click **OK** a second time to confirm the role assignment.Repeat this step for all users you want to assign roles to. For more information, click the **Help** link in the upper-right corner of the page.
27. Start Workbench ES and log in using the following credentials:
 - User name:** *[username]@[repository_name]*
 - Password:** *[password]*The FileNet object store should now be visible in the Resources view within Workbench ES. If you do not log in by using the *username@repository name*, Workbench ES attempts to log in to the default repository specified in step [11](#).
28. (Optional) If you intend to install the LiveCycle ES Samples for Connector for IBM FileNet, you must create a FileNet object store named *Samples* and install the samples in that object store.

After you configure your Connector for IBM FileNet service, it is recommended that you see [Administering LiveCycle ES](#) for information about configuring Workbench ES functions properly with your FileNet repository.

Configuring the Connector for IBM Content Manager service

If you installed the Connector for IBM Content Manager service as part of your LiveCycle ES solution, complete the following procedure to configure the service to connect to the IBM Content Manager data store.

► **To configure Connector for IBM Content Manager:**

1. Locate the `adobe-component-ext.properties` file. For JBoss the file is in the `[LiveCycleES root]\jboss\bin` folder. For WebLogic, the file is in the `[BEA HOME]/user_projects/domains/Adobe_LiveCycle` folder (If the file does not exist, you must create it. Add a new system property that provides the location of the following IBM II4C JAR Files, Config folder containing the IBM II4C property files and a ZIP file from DB2 Universal Database Client installation:

- `Clio4CM.jar`
- `cmb81.jar`
- `cmbcm81.jar`
- `cmbdb281.jar`
- `cmbdb2c81.jar`
- `cmbfed81.jar`
- `cmbfedc81.jar`
- `cmbicm81.jar`
- `cmbicmc81.jar`
- `cmbicmcup.jar`
- `cmbjdbc81.jar`
- `cmbjdbcc81.jar`
- `cmblog4j81.jar`
- `cmb sdk81.jar`
- `cmb servlets81.jar`
- `cmbtag81.jar`
- `cmbupes81.jar`
- `cmbutil81.jar`
- `cmbutilfed81.jar`
- `cmbutilicm81.jar`
- `cmbutiljdbc81.jar`
- `cmbview81.jar`
- `cmbwas81.jar`
- `cmbwcm81.jar`
- `cmbwebservices.jar`
- `cmbxmlmap.jar`
- `cmbxmlservice.jar`
- `common.jar`

- common.resources.jar
- ecore.jar
- ecore.resources.jar
- ecore.xmi.jar
- icmadm81.jar
- icmrm81.jar
- icmsdk81.jar
- jcache.jar
- log4j-1.2.8.jar
- NLVLog.jar
- xalan.jar
- xerces.jar
- xsd.jar
- xsd.resources.jar
- cmgmt (copy this folder and its contents)
- db2java.zip

The new system property look like this structure:

```
[component id].ext=[JAR files and/or folders]
```

For example, using a default DB2 Universal Database Client and I4C installation, in the file, add the following system property on a new line, with no line breaks, and end the line with a carriage return:

```
com.adobe.livecycle.ConnectorforIBMCM.ext=  
C:/Program Files/IBM/db2cmv8/lib/Clio4CM.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmb81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbcm81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbdb281.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbdb2c81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbfed81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbfedc81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbicm81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbicmc81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbicmcup.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbjdb81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbjdbcc81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmblog4j81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbSDK81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbServlets81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbtag81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbupes81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbutil81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbutilfed81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbutilicm81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbutiljdb81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbview81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbwas81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbwcm81.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbwebservices.jar,
```

```
C:/Program Files/IBM/db2cmv8/lib/cmbxmlmap.jar,  
C:/Program Files/IBM/db2cmv8/lib/cmbxmlservice.jar,  
C:/Program Files/IBM/db2cmv8/lib/common.jar,  
C:/Program Files/IBM/db2cmv8/lib/common.resources.jar,  
C:/Program Files/IBM/db2cmv8/lib/ecore.jar,  
C:/Program Files/IBM/db2cmv8/lib/ecore.resources.jar,  
C:/Program Files/IBM/db2cmv8/lib/ecore.xmi.jar,  
C:/Program Files/IBM/db2cmv8/lib/icmadm81.jar,  
C:/Program Files/IBM/db2cmv8/lib/icmrm81.jar,  
C:/Program Files/IBM/db2cmv8/lib/icmsdk81.jar,  
C:/Program Files/IBM/db2cmv8/lib/jcache.jar,  
C:/Program Files/IBM/db2cmv8/lib/log4j-1.2.8.jar,  
C:/Program Files/IBM/db2cmv8/lib/NLVLog.jar,  
C:/Program Files/IBM/db2cmv8/lib/xalan.jar,  
C:/Program Files/IBM/db2cmv8/lib/xerces.jar,  
C:/Program Files/IBM/db2cmv8/lib/xsd.jar,  
C:/Program Files/IBM/db2cmv8/lib/xsd.resources.jar,  
C:/Program Files/IBM/db2cmv8/cmgmt,  
C:/Program Files/IBM/SQLLIB/java/db2java.zip
```

2. If JBoss or WebLogic is not currently running, start the JBoss for Adobe LiveCycle ES service or WebLogic for Adobe LiveCycle ES service. Otherwise, if the Adobe LiveCycle ES service is currently running, stop and then restart the service.

You can now connect to the IBM Content Manager data store from the IBMCMConnectorService Property Sheets by using the Use User Credentials as the login mode.

You have now completed the required steps for this procedure.

(Optional) If you want to connect to IBM Content Manager data store from IBMCMConnectorService Property Sheets by using the Use Credentials From Process Context as the login mode, complete the following procedure.

► **To connect using Use Credentials from process context login mode:**

1. Open a web browser and enter one of the following URLs:
 - (JBoss) <http://localhost:8080/adminui> (local deployment using the default port)
 - (WebLogic) <http://localhost:8001/adminui> (local deployment using the default port)
2. Log in using the default user name and password:
 - User name:** *administrator*
 - Password:** *password*
3. Click **Services > LiveCycle ES Connector for IBM Content Manager > Configuration Settings**.
4. Type all of the required repository information and click **Save**. For more information about the IBM Content Manager repository information, click the **Help** link in the upper-right corner of the page.
5. Do one of the these tasks:
 - To use the IBM Content Manager Authorization service (IBMCMProviderService) to use content from an IBM Content Manager data store, in the Processes view of Workbench ES, continue with this procedure. Using the IBM Content Manager Authorization service overrides the default LiveCycle ES

authorization and must be configured to log in to Workbench ES by using IBM Content Manager credentials.

- To use the System Credentials provided in step 4 to use content from an IBM Content Manager data store, in the Processes view of Workbench ES, log in to Workbench ES by using the LiveCycle ES super administrator credentials (by default, *Administrator* and *password*). You have now completed the required steps for this procedure. The System Credentials that are provided in step 4 use the default LiveCycle ES authorization service for accessing the default repository in this case.
6. For a JBoss installation, select **Start > Control Panel > Administrative Tools > Services** and restart the **JBoss for Adobe LiveCycle ES** service.
 7. For a WebLogic installation, select **Start > Control Panel > Administrative Tools > WebLogic for Node Manager** and restart the **BEA Products NodeManager** service.
 8. Log in to the LiveCycle Administration Console, and click **Settings > User Management > Domain Management**.
 9. Click **New Enterprise Domain** and type a domain ID and name. The domain ID is the unique identifier for the domain. The name is a descriptive name for the domain.
Note: When using DB2 for your LiveCycle ES database, the maximum permitted length of the ID is 100 single-byte (ASCII) characters or 50 double-byte characters or 25 four-byte characters. (See "Adding enterprise domains" in [User Management Help](#).)
Note: When using MySQL for your LiveCycle ES database, use only single-byte (ASCII) characters for the ID. (See "Adding enterprise domains" in [User Management Help](#).)
 10. Add a custom authentication provider:
 - Click **Add Authentication**.
 - In the **Authentication Provider** list, select **Custom**, and then select **IBMCMAuthProviderService** and click **OK**.
 11. Add an LDAP authentication provider:
 - Click **Add Authentication**.
 - In the **Authentication Provider** list, select **LDAP** and then click **OK**.
 12. Add an LDAP directory:
 - Click **Add Directory**.
 - In the **Profile Name** box, type a unique name, and then click **Next**.
 - Specify values for the **Server**, **Port**, **SSL**, **Binding**, and **Populate page with** options. If you select **User** for the **Binding** option, you must also specify values for the **Name** and **Password** fields. (Optional) Select **Retrieve Base DN** to retrieve base domain names, as required. When finished, click **Next**.
 - Configure the user settings, click **Next**, configure group settings as required, and then click **Next**. For details about the above settings, click the **Help** link in the upper-right corner of the page.
 13. Click **OK** to exit the Add Directory page and click **OK** again.
 14. Select the new enterprise domain and click **Sync Now**. Depending on the number of users and groups in your LDAP network and the speed on your connection, the synchronization process may take several minutes.

15. To verify the status of the synchronization, click **Refresh** and view the status in the **Current Sync State** column.
16. Navigate to **Settings > User Management > Users and Groups**.
17. Search for users that were synchronized from LDAP and do these tasks:
 - Select one or more users and click **Assign Role**.
 - Select one or more LiveCycle ES roles and click **OK**.
 - Click **OK** a second time to confirm the role assignment.

Repeat this step for all users that you want to assign roles to. For more information, click the **Help** link in the upper-right corner of the page.

18. Start Workbench ES and log in using the following credentials:

Username: *[username]@[repository_name]*

Password: *[password]*

The IBM Content Manager data store can now be used in the Processes view within Workbench ES when the login mode for IBMCMConnectorService orchestrable components is selected as **Use Credentials from process context**.

After you configure your Connector for IBM Content Manager service, it is recommended that you see [Administering LiveCycle ES](#).

Re-creating the JBoss for Adobe LiveCycle ES service

The JBoss turnkey installation option creates the Windows service known as *JBoss for Adobe LiveCycle ES* service. You need to re-create only the JBoss for Adobe LiveCycle ES service in order to make changes to the JBoss configuration. For example, you can re-create the service to modify the heap size or the MaxPerm size, or to set the JBoss for Adobe LiveCycle ES service to autostart.

Note: LiveCycle ES stores the configuration for JBoss in the Windows registry and not in the configuration files in the Jboss/bin directory. As a result, if the configurations must be altered, the supported procedure is to re-create the service with your preferred configurations.

Before you re-create the service, delete the old service.

► To stop and delete the current JBoss for Adobe LiveCycle ES service:

1. Determine whether the JBoss for Adobe LiveCycle ES service is running. From a Windows command prompt, type this line:

```
sc query "JBoss for Adobe LiveCycle ES"
```

If the service is running, the following text is returned:

```
SERVICE_NAME: JBoss for Adobe LiveCycle ES
        TYPE : 10  WIN32_OWN_PROCESS
        STATE : 4  RUNNING
              (STOPPABLE,NOT_PAUSABLE,ACCEPTS_SHUTDOWN)
        WIN32_EXIT_CODE      : 0  (0x0)
        SERVICE_EXIT_CODE  : 0  (0x0)
        CHECKPOINT         : 0x0
        WAIT_HINT          : 0x0
```

2. If the service is running, stop it by typing the following line from a Windows command prompt:

```
sc stop "JBoss for Adobe LiveCycle ES"
```

3. Remove the current service from the Windows registry by typing the following line from a Windows command prompt:

```
sc delete "JBoss for Adobe LiveCycle ES"
```

Note: If the service is running or another process has an open handle to the service, the service is simply marked for deletion.

► **To re-create the JBoss for Adobe LiveCycle ES service:**

1. Ensure that the JBoss for Adobe LiveCycle ES service is removed and then, from a Windows command prompt, type the following line:

```
sc query "JBoss for Adobe LiveCycle ES"
```

Ensure that the following line is returned:

```
The specified service does not exist as an installed service.
```

2. Back up the original InstallJBossService.bat file before you make any modifications.
3. Edit the `[LC_INSTALL_ROOT]\jboss\InstallJBossService.bat` file, and change the JBoss configuration accordingly. For example, you can modify the Heap Size value.
4. Save the changes to the file in a new file called `InstallJBossServiceforProductionServerXVersion2.bat`.
5. Run the `InstallJBossServiceforProductionServerXVersion2.bat` file by typing the following line from a Windows command prompt:

```
InstallJBossServiceforProductionServerXVersion2.bat
```

6. Start the JBoss for Adobe LiveCycle ES service by typing the following line from a Windows command prompt:

```
sc start "JBoss for Adobe LiveCycle ES"
```

Note: If you have LiveCycle ES PDF Generator ES or LiveCycle ES PDF Generator 3D ES installed, you need to provide the computer name and administrator password when starting the service.

7. Verify that the JBoss for Adobe LiveCycle ES service is running by typing the following line from a Windows command prompt:

```
sc query "JBoss for Adobe LiveCycle ES"
```

8. Review the JBoss log files located in the `[LC_INSTALL]\jboss\server\all\log\` folder to ensure that the JBoss Application Server is using the new configuration parameters you specified.

Note: If you have PDF Generator ES or PDF Generator 3D ES installed, a log file is not created when the service is started. This omission is for security reasons. The PDF Generator ES or PDF Generator 3D ES services require that the administrator password is specified. Therefore, no log file is generated because it would log the password.

The JBoss for Adobe LiveCycle ES service is a launcher service for the JBoss process. The service will show as being started even if the Java process associated with JBoss is still starting and is not ready to respond to requests. Conversely, when the Windows Service for JBoss is ordered to stop, it issues a terminate

command to the JBoss Java process and waits for the process to stop. The JBoss process shutdown can take several minutes.

This section provides details about troubleshooting LiveCycle ES.

Viewing the log files

Events, such as run-time or startup errors, are recorded to the application server log files. If you have problems deploying to the application server, you can use the log files to help you find the problem. Use any text editor to open the log files.

JBoss Application Server logs

The JBoss Application Server log files are in the *[LiveCycleES root]/jboss/server/all/log* directory. These log files are provided:

- boot.log
- server.log.[yyyy-mm-dd]
- server.log

WebLogic Server logs

The WebLogic Server Domain log files are located in the *[appserverdomain]* directory, and server log files are in the *[appserverdomain]\servers\LCServer1\logs* directory. These log files are available:

- access.log
- *[managed server name].log*
- *[managed server name].out.[incremental number]*

LiveCycle ES installation logs

The installation log files, *adobe_lc8.2_server_install.log* and *adobe_lc8.2_server_install_jboss_service.log* are in the *temp\tmp* directory.

LiveCycle Configuration Manager logs

The LiveCycle Configuration Manager log files are in the *[LiveCycleES root]\configurationManager\log* directory.

Troubleshooting considerations

This section contains possible issues you may encounter when installing and deploying LiveCycle ES, and suggests steps for avoiding issues or working around them.

LiveCycle Output ES issue with shared printer

If you installed LiveCycle Output ES by using the WebLogic turnkey installation, you may experience printing issues when using a shared printer.

► **To address the printing issues:**

1. Stop Managed Server from a command line.
2. Stop Node Manager from the Windows services panel.
3. Stop WebLogic Administration Server from the Windows services panel.
4. Run both Node Manager and WebLogic Administration Server from a domain credential (assuming that printers are accessible to this user).
5. Start Managed Server from the WebLogic Server Administration Console.

LiveCycle Output ES will now start receiving the required credentials and print on all accessible printers.

Changing the Windows server name causes errors on WebLogic

If you need to change the name of your Windows 2003 server after you install and configure your LiveCycle ES environment on WebLogic, regenerate your keystore; otherwise, the Node Manager will fail. (See "Configuring the keystore" in [Installing and Deploying LiveCycle ES for WebLogic.](#))

"HTTP tunneling is disabled" error messages on WebLogic

If you encounter error messages such as the message below, in the WebLogic Administration Server log file, add an argument to your Server Start page for the managed server called *LCServer1* to change the protocol from HTTP to T3.

```
HTTPClnLogin: Login rejected with code: 'Failed', reason:  
java.net.ProtocolException: HTTP tunneling is disabled
```

► **To change the transport protocol from HTTP to T3:**

1. To access the WebLogic Server Administration Console, type `http://[host name]:[port]/console` in the URL line of a web browser, where *[port]* is the non-secure listening port. By default, this port value is 7001.
2. On the login screen, type your WebLogic user name and password and click **Log In**.
3. Under Change Center, click **Lock & Edit**.
4. Under Domain Structure, click **Environment > Servers** and, in the right pane, click the managed server name **LCServer1**.
5. In the Settings for Server pane, click the **Configuration** tab > **Server Start** tab.

6. In the **Arguments** box, add the following argument, separated by a space delimiter:

```
-Dweblogic.management.server=t3://[hostname]:[port]
```

7. Click **Save** and then click **Activate Changes**.

Missing DLL error on WebLogic

You may receive the following error message while WebLogic Administration Server is starting:

```
"Unable to load performance pack. Using Java I/O instead. Please ensure that wlintio.dll is in PATH."
```

This message can be safely ignored. If you experience performance issues, open a command prompt and add the path to the DLL in your environment variables as follows:

```
set PATH=%WL_HOME%\server\bin;C:\Programs\Adobe_LiveCycle_8.2\weblogic\wlserv_10.0\server\native\win\32
```

Connector for EMC Documentum error

While using LiveCycle ES Connector for EMC Documentum with the Documentum DFC 5.3 client installed on LiveCycle ES server, you may see the following error in the server logs:

```
DM_CCONTENT_E_REMOVE_DIRECTORY
```

If this occurs, add the following entry to the [DMAPI_CONFIGURATION] section of the dmcl.ini file:

```
'local_clean_on_init=F'
```

On a Windows server, by default the dmcl.ini file is located in the *[Windows Installation Drive]\WINDOWS* folder.

Restart the LiveCycle ES server for this change to take affect.

A

Appendix - Turnkey Environment Overview

This table provides an overview of the environment for each of the LiveCycle ES turnkey installations.

Turnkey installation for JBoss	Turnkey installation for WebLogic
J2EE application server: <ul style="list-style-type: none">● JBoss 4.0.3 SP1	J2EE application server: <ul style="list-style-type: none">● BEA WebLogic 10.1 MP1
Servers: <ul style="list-style-type: none">● All	Servers: <ul style="list-style-type: none">● AdminServer● LCServer1
Database: <ul style="list-style-type: none">● MySQL 5.0.18	Database: <ul style="list-style-type: none">● MySQL 5.0.18
Windows services: <ul style="list-style-type: none">● MySQL for Adobe LiveCycle ES● JBoss for Adobe LiveCycle ES	Windows services: <ul style="list-style-type: none">● MySQL for Adobe LiveCycle ES● BEA Products NodeManager (C_Adobe_LiveCycle8.2_weblogic_wlserver_10.1)● BEA Weblogic Admin for Adobe LiveCycle ES
Primary Ports: <ul style="list-style-type: none">● 8080 (Web port)	Primary Ports: <ul style="list-style-type: none">● 7001 (AdminServer Web Port)● 8001 (LCServer1 Web Port)● 5559 (Node Manager Port)
Processes: <ul style="list-style-type: none">● Mysqld-max-nt.exe [MySQL]● java.exe (JBoss all server)	Processes: <ul style="list-style-type: none">● Mysqld-max-nt.exe (MySQL)● beasvc.exe (Node Manager)● beasvc.exe > java.exe (AdminServer)● java.exe (LCServer1)

Index

A

- Adobe Acrobat
 - installing 14
- Adobe LiveCycle Administration Console, accessing 25
- Adobe LiveCycle ES
 - installing 15
 - uninstalling 40
- Adobe LiveCycle PDF Generator ES
 - installing Acrobat 14
 - language display after conversion 34
 - setting environment variables 31
 - setting the Adobe PDF Printer as default 32
 - setting watched folder performance parameters 34
- Adobe LiveCycle Reader Extensions ES
 - accessing 26
 - Rights credential 10
- Adobe LiveCycle Rights Management ES 27
- Adobe LiveCycle Workspace ES 26
- Adobe PDF Printer 32
- Adobe User Management, accessing 28

C

- configuring
 - User Management with LDAP 29
- conventions, file path 7
- credential, LiveCycle Reader Extensions ES 10

D

- deleting working files 29
- documentation resources 7

E

- environment variables, setting 31

F

- file path conventions 7
- FIPS 41

H

- hardware requirements 10
- HSM credentials, migrating 39

I

- installing

See also upgrading

- Acrobat for LiveCycle PDF Generator ES 14
- LiveCycle ES 15
- post-deployment activities 24, 64

L

- language display 34
- LDAP, configuring 29
- LiveCycle. *See* Adobe LiveCycle
- log files, viewing 64

M

- manually upgrading 9
- MySQL database, managing 29

N

- native file format conversion 14

P

- password, encrypting plaintext 29

R

- Rights credential 10

S

- software requirements 10
- system requirements 10

U

- uninstalling LiveCycle ES 40
- upgrading
 - See also installing*
 - non-turnkey method 9

V

- viewing log files 64

W

- watched folder performance parameters 34
- web applications, accessing 26
- working files, deleting 29